Toughness guaranteed.

Catalogue April 2017


SQUIRE

Contents

Hardware

Introduction 3
@WORK @HOME @LEISURE 5
Packaging 7

@WORK

Introduction to @WORK 9
Stronghold® Range 11
Warrior™ Combi Range 17
Warrior™ Range 19
Combination Padlocks 21
General Use Padlocks 23
Combi-Bolt™ 5 24
Hasp and Staples 25
Chains 27
Lock and Chain Sets 28
Keysafes 29

@HOME

Introduction to @HOME 31
Vulcan™ Combi Range 33
Vulcan™ Range 35
CP Combination Range 37
Lion Range 39
Stronglock Range 41
Pinning Kits 43
Keybolt and Hasp and Staples 44
Combi-Bolt™ 4 and Combi-Bolt™ 3 45

@LEISURE

Introduction to @LEISURE 47
Hasp and Staples 49
Chains Range 51
Lock and Chain Sets 53
Garage Security 55
Ground and Wall Anchors 56

bikelok®

Introduction 57
SPORT, URBAN, LEISURE 59
Packaging 61

sportbikelok®

Introduction to SPORT 63

urbanbikelok®

URBAN D Locks 65
URBAN Mako Range 68
URBAN Lock and Chain Sets 69

leisurebikelok®

LEISURE Cable Locks 71
LEISURE D Locks and Security Cables 73
LEISURE Integrated Lock and Chain Sets 74
LEISURE Lock and Chain Sets 75
LEISURE Wall Anchors 76

Keys and Key Blanks 77
Merchandisers 79
Terms and Conditions 81

Introduction

Introducing Squire

Squire is a family brand with great history which has been carried down through eight generations. Over this time, the one thing that's kept us going is our ability to change with the world. It's with this in mind we're proud to introduce the new Squire brand.

Our approach

This isn't an endeavour that we took on lightly – we took all the help we could. It started by looking at ourselves and asking everyone's opinion in the business - we wanted honest thoughts, no matter how harsh! We visited our stockists stores to look at ourselves and understand how we stack up against the competition and we also worked alongside consumers to develop our new direction.

This isn't a new coat of paint - we've looked at our products, philosophy and ways of working, looking for a positive change and areas of improvement.

One of these was the sheer size of our range – it was difficult to navigate and products started to overlap. Most importantly, our customers didn't understand the benefits of each product.

What's a shackle? Why would I want a laminated lock over a brass one? We found that security ratings didn't make selecting products any easier, as every lock manufacturer had their own scale. So we've found a new consumer friendly approach to product navigation - we reduced the range and split it into three distinct sub-brands: Squire @Home, @Work and @Leisure.

We didn't stop there though; we wanted to understand what we stood for and what made us different.

We're a family business that began in the 1780s. We're proud of our craft and stand firmly behind our reputation for long-lasting toughness which is guaranteed. This is why I'm offering a personal 'no-quibble' 10 year guarantee on every product - you don't even need a receipt. The information here explains the changes to our products, and I hope that you agree it's a change for the better!

John Squire

John Squire, CEO
8th generation



Celebrating over 235 years of lock making

Welcome to our 2017 catalogue

Squire has been at the forefront of international lock making for over 235 years. As an eighth generation independent family-owned lock manufacturer, Squire continues its tradition of offering high-quality, performance-led products at very competitive prices.

Technological innovation is our trademark, producing market-leading security solutions for the home, business and on the move. Using superior design capabilities and manufactured with state-of-the-art production methods, the result is an unrivalled range of top security products, including our new range of super-intelligent padlocks which revolutionise access control.

Our award-winning products are used in a diverse range of applications - from securing bicycles to protecting multi-million pound operations and remote sites the world over. Unwavering in our commitment to first-class customer service and to continuing to provide the best solutions to meet ever-evolving security needs, we're always very happy to help you.

SQUIRE

Lockmakers Since 1780

The Way Forward

Toughness Guaranteed.

SQUIRE

Lockmakers Since 1780

@WORK

@Work includes our flagship **Stronghold®** range, great for securing warehouses, shipping containers, or heavy machinery. And we have even more portable locks for toolboxes or vans.

SQUIRE

Lockmakers Since 1780

@HOME

@Home, as the name suggests, is perfect for home use, and includes general use products like our brass, laminated and combination padlocks. Ideal for gates, toolboxes, cabinets, garage doors. And It covers specialist locks such as our combination bolt locks & hasps for outside gates or sheds.

SQUIRE

Lockmakers Since 1780

@LEISURE

@Leisure is for when you're out and about. Marine grade locks for boats and harsh weather conditions. The range includes travel and luggage locks for when you're flying abroad, or for your trailer or caravan.

New Packaging

Our new packaging is designed to help the customer choose their lock quickly, and easily identify the key features. Customer's are guided by the colour coded categories and then can see at a glance, product strength rating (1 is low - 10 is high), key features and accreditations.

Squire @HOME denoted by colour

Squire brand - Lockmakers Since 1780

Squire security rating shows product strength

Icon system shows typical useage

Squire's personal 10-year guarantee





Technical view

Lock dimensions

Multi-lingual 8 languages

Accreditations and special features

Maintenance instructions

Personal 10-year guarantee by John Squire

Which category to choose

@WORK

Use: trade use, toolbox, container, commercial vehicle, outbuilding / warehouse, security gate garage forecourt
SECURITY RATING
maximum 7-10

@HOME

Use: all-round home use, garage, shed, front gate, storage
SECURITY RATING
high 5-7

@LEISURE

Use: out and about, recreational gear, suitcase, caravan / camping, bbq, sport locker, marine
SECURITY RATING
basic 1-4

Keyed alike and master keyed services



Keyed Alike System



Master Key System

Throughout this price list, you will find that some of our locks are available either as a standard lock, Keyed Alike or Master Keyed. Here we explain what each type of lock can do, to assist you in your product selection.

Keyed Alike - Where two or more padlocks can be operated with the same key. For 4 pin tumbler locks there are over 1000 different Keyed Alike combinations, for 5 pin there are over 1500 and for 6 pin tumbler locks there are over 250,000 differed Keyed Alike combinations.

Master Keyed - Padlocks keyed so that each padlock is different yet a Master Key will open them all. A Master Keying surcharge is applicable, see the footnote after each product listing.

Quality and standards

SOLD SECURE
THE KEY TO ATTACK TESTING

Supported by CRIMESTOPPERS™
Independent crime-fighting charity

Secured by Design
SBD
Police Preferred Specification

LPCB
Certified to
LPS 1654: Issue 1
Security Rating 2
Cert. No. 1179a/01

CEN approved

DHF
Door & Hardware Federation

Certificate Number 396
ISO 9001, ISO 14001

MASTER LOCKSMITHS ASSOCIATION
MLA

THE GUILD OF ARCHITECTURAL IRONMONGERS
MEMBER

Squire products are covered by a variety of industry accreditations. Much of the Squire cycle range and certain padlocks are Sold Secure approved meaning that they have been independently attack tested. Sold Secure products are also supported by Secured by Design which was initiated by the British Police Force.

Many Squire products are also supported by Crimestoppers, the UK's only independent crime-fighting charity, as part of their mission to help prevent crime and make communities safer.

Squire have a number of **Stronghold®** products that achieve LPCB (Loss Prevention Certification Board) approval which is the UK's most stringent approval body and many other padlocks within the Stronghold range meet the CEN EN 12320 Standard.

Introduction

@ WORK

@Work includes our flagship **Stronghold®** range, great for securing warehouses, shipping containers, or heavy machinery. We've also got more portable locks for toolboxes or vans.

Product usage

- Trade use
- Toolbox
- Container
- Commercial vehicle
- Outbuilding / warehouse
- Security gate
- Garage forecourt

Why choose @WORK

- Heavy-duty
- Precision **Stronghold®** locks
- Super-tough rust and storm-proofed
- Guaranteed 10 years
- Thief-proof tested

Security rating

maximum 7-10

Squire @WORK models

- **Stronghold®**
- **Stronghold®** Combi
- **Warrior™** Key
- **Warrior™** Combi
- SHCB Combination
- CBW85
- Padbars & high security hasps
- High security chains

Stronghold® Range

Squire's formidable range of hi-security CEN grade padlocks

Features

- Solid hardened steel lock body
- Electrophoretic anti-corrosion finish
- Hardened boron alloy steel shackle
- 6 Pin cylinder - over 250,000 key differs
- Anti-drill protection
- CEN rated 3-6

Benefits

- Extra high security
- Highly corrosion resistant - over 400-hours salt spray test
- Suitable for harsh environments

CEN approved Grades 3-6

Secured by Design

Police Preferred Specification

Supported by CRIMESTOPPERS

Independent crime-fighting charity

SOLD SECURE 2017 APPROVED

Made in Britain

10 Year Guarantee

Certified to LPS 1654: Issue 1 Security Rating 2 Cert. No. 1179a/01

CEN Approved

Tested to European CEN standards for padlock and padbar fittings BS EN12320

CEN Ratings

SS80S	CEN6	SS50P5	CEN3
SS80CS	CEN6	SS50CP5	CEN3
SS65CS	CEN6	SS50P5/2.5	CEN3
SS65S/2.5	CEN5	HLS50S	CEN5
SS65S	CEN5	HLS50P5	CEN3
SS50CS	CEN4	WS75S	CEN4
SS50S	CEN4		
SS50S/2.5	CEN4		

'E' variants have the same accreditation as 'S' versions.

Pinning kit available to masterkey and key alike 6 pin models. Separate pinning kit available to masterkey and key alike 5 pin models. Details available on Squire website. www.squirelocks.co.uk

Stronghold® SS80

The world's strongest production padlock

The SS80S and SS80CS are the latest additions to the **Stronghold®** Range.

Designed as the world's strongest production padlock, the SS80 has achieved LPCB (Loss Protection Certification Board) approval.

This outstanding British made heavy duty padlock - which is capable of a tensile pull of 16-20 tonnes - has been approved to LPCB's standard LPS 1654: Issue 1.0 security rating classification SR3.

Squire's **Stronghold®** SS80 features a 2kg solid steel lock body and 16mm diameter hardened boron steel shackle.

LPCB Approved

One of the challenges of making buildings safe and secure, is selecting and installing fire safety and security products that actually do what they claim. The Loss Prevention Certification Board (LPCB) has been working with industry and government for more than 100 years to set the standards needed to ensure that security products perform effectively. LPCB offers third-party approval confirming that products meet these standards.

The SS80S, SS80CS SS65S LEV3 and SS65CS LEV3 are enhanced versions of the standard padlocks which meet LEVEL 3 of the new LPS Standards for Standalone padlocks. Under the current testing regime this is the highest level that any padlock can achieve when tested on its own.

The SS65S LEV3 and SS65CS LEV3 meets LPS 1654 Issue 1, Security rating 3, Certificate number 1179a/02.

The standard SS50S and SS50CS meet LPS 1654 Issue 1, Security rating 2, Certificate number 1179a/01.

Several products now meet LPCB LPS 1654 Issue 1. See page 13

Rating 3	**Rating 2**
SS80S LEV3	SS50S
SS80CS LEV3	SS50CS
SS65S LEV3	
SS65CS LEV3	

Stronghold® Range



SS80 Range

SS80S SS80CS

Code	LPCB	CEN	Security Rating	@	Description	Dimensions mm A	B	C	D	E	Barcode	Key Blank	Pack Type	Min Qty	MK
SS80S	LEVEL 3	CEN 6	10	@WORK	80mm Open shackle steel lock 6 pin S cylinder	80	40	16	32	32	5012245035681	CYKEY/S1/BL	BLISTER	1	■
SS80SKA	LEVEL 3	CEN 6	10	@WORK	80mm KA Open shackle steel lock 6 pin S cylinder	80	40	16	32	32	Special	CYKEY/S1/BL	BOX	1	
SS80CS	LEVEL 3	CEN 6	10	@WORK	80mm Closed shackle steel lock 6 pin S cylinder	80	40	16	25	23.5	5012245035674	CYKEY/S1/BL	BLISTER	1	■
SS80CSKA	LEVEL 3	CEN 6	10	@WORK	80mm KA Closed shackle steel lock 6 pin S cylinder	80	40	16	25	23.5	Special	CYKEY/S1/BL	BOX	1	

6 Pin versions available with Restricted Profile **MK** Denotes Master Keyed

LPCB Range

SS65S LEV3 SS65CS LEV3

SS50S SS50CS

	Code	LPCB	CEN	Security Rating	@	Description	Dimensions mm A	B	C	D	E	Barcode	Key Blank	Pack Type	Min Qty	MK
LEVEL 3	**SS65S** LEV3	LEVEL 3	CEN 5	10	@WORK	65mm Open shackle - Added security to meet LPCB LEVEL 3	65	31.8	12.7	29	29.5	5012245031218	CYKEY/S1/BL	BOX	1	■
	SS65CS LEV3	LEVEL 3	CEN 6	10	@WORK	65mm Closed shackle - Added security to meet LPCB LEVEL 3	65	31.8	12.7	19	19	5012245031225	CYKEY/S1/BL	BOX	1	■
	SS65 M3ARX LEV3	LEVEL 3		10	@WORK	Body Only 65mm Open Shackle* - LPCB LEVEL 3	65	31.8	12.7	29	29.5	Special	n/a	BOX	1	
	SS65C M3ARX LEV3	LEVEL 3		10	@WORK	Body Only 65mm Closed Shackle* - LPCB LEVEL 3	65	31.8	12.7	19	19	Special	n/a	BOX	1	
LEVEL 2	**SS50S**	LEVEL 2	CEN 4	9	@WORK	50mm Open shackle steel lock 6 pin S cylinder	50	26	10	26	22	5012245003420	CYKEY/S1/BL	BLISTER	3	
	SS50CS	LEVEL 2	CEN 4	9	@WORK	50mm Closed shackle steel lock 6 pin S cylinder	50	26	10	16	16	5012245003413	CYKEY/S1/BL	BLISTER	2	
	SS50 M3ARX	LEVEL 2	CEN 4	9	@WORK	Body Only 50mm Open Shackle* - LPCB LEVEL 2	50	26	10	26	22	Special	n/a	BOX	1	
	SS50C M3ARX	LEVEL 2	CEN 4	9	@WORK	Body Only 50mm Closed Shackle* - LPCB LEVEL 2	50	26	10	16	16	Special	n/a	BOX	1	

6 Pin versions available with Restricted Profile **MK** Denotes Master Keyed

Solid Steel - Open Shackle

SS80S

SS65S SS50S

Code	LPCB	CEN	Security Rating	@	Description	Dimensions mm A	B	C	D	E	Barcode	Key Blank	Pack Type	Min Qty	MK
SS65S		CEN 5	10	@WORK	65mm Open shackle steel lock 6 pin S cylinder	65	31.8	12.7	29	29.5	5012245003994	CYKEY/S1/BL	BLISTER	2	■
SS50S	LEVEL 2	CEN 4	9	@WORK	50mm Open shackle steel lock 6 pin S cylinder	50	26	10	26	22	5012245003420	CYKEY/S1/BL	BLISTER	3	■
SS50S 8mm		CEN 3	8	@WORK	8mm shackle/50mm Open shackle steel lock 6 pin S cylinder	50	26	8	26	24	Special	CYKEY/S1/BL	BOX	1	■
SS50P5		CEN 3	8	@WORK	50mm Open shackle steel lock P5 (5 pin) cylinder	50	26	10	26	22	5012245007756	KB P5	BLISTER	3	■
SS65S/F/SHACKLE		CEN 5	10	@WORK	65mm Open Flying shackle lock 6 pin S cylinder	65	31.8	12.7	29	29.5	Special	CYKEY/S1/BL	BOX	1	■
SS65SKA		CEN 5	10	@WORK	65mm KA Open shackle steel lock 6 pin S cylinder	65	31.8	12.7	29	29.5	Special	CYKEY/S1/BL	BOX	1	
SS50SKA	LEVEL 2	CEN 4	9	@WORK	50mm KA Open shackle steel lock 6 pin S cylinder	50	26	10	26	22	Special	CYKEY/S1/BL	BOX	1	
SS50P5KA		CEN 3	8	@WORK	50mm KA Open shackle steel lock P5 (5 pin) cylinder	50	26	10	26	22	Special	KB P5	BOX	1	

6 Pin versions available with Restricted Profile **MK** Denotes Master Keyed

Made in Britain

10 Year Guarantee



SS80CS

SS65CS SS50CS

Solid Steel - Closed Shackle

Code	LPCB	CEN	Security Rating	@	Description	Dimensions mm A	B	C	D	E	Barcode	Key Blank	Pack Type	Min Qty	MK
SS65CS		CEN 6	10	@WORK	65mm Closed shackle steel lock 6 pin S cylinder	65	31.8	12.7	19	19	5012245003918	CYKEY/S1/BL	BLISTER	2	■
SS50CS	LEVEL2	CEN 4	9	@WORK	50mm Closed shackle steel lock 6 pin S cylinder	50	26	10	16	16	5012245003413	CYKEY/S1/BL	BLISTER	3	■
SS50CP5		CEN 3	8	@WORK	50mm Closed shackle steel lock P5 (5 pin) cylinder	50	26	10	16	16	5012245007763	KB P5	BLISTER	3	■
SS65CSKA		CEN 6	10	@WORK	65mm KA Closed shackle steel lock 6 pin S cylinder	65	31.8	12.7	19	19	Special	CYKEY/S1/BL	BOX	1	
SS50CSKA	LEVEL 2	CEN 4	9	@WORK	50mm KA Closed shackle steel lock 6 pin S cylinder	50	26	10	16	16	Special	CYKEY/S1/BL	BOX	1	
SS50CP5KA		CEN 3	8	@WORK	50mm KA Closed shackle steel lock P5 (5 pin) cylinder	50	26	10	16	16	Special	KB P5	BOX	1	

SS65S/2.5 SS50S/2.5

Solid Steel - Long Shackle

SS65S/2.5		CEN 5	10	@WORK	65mm 2.5" Long shackle steel lock 6 pin S cylinder	65	31.8	12.7	65	29.5	Special	CYKEY/S1/BL	BOX	1	■
SS50S/2.5		CEN 4	9	@WORK	50mm 2.5" Long shackle steel lock 6 pin S cylinder	50	26	10	65	22	5012245006049	CYKEY/S1/BL	BLISTER	3	■
SS50P5/2.5		CEN 3	8	@WORK	50mm 2.5" Long shackle steel lock P5 (5 pin) cylinder	50	26	10	65	22	5012245009996	KB P5	BOX	3	■
SS65S/2.5KA		CEN 5	10	@WORK	65mm KA 2.5" Long shackle steel lock 6 pin S cylinder	65	31.8	12.7	65	29.5	Special	CYKEY/S1/BL	BOX	1	
SS50S/2.5KA		CEN 4	9	@WORK	50mm KA 2.5" Long shackle steel lock 6 pin S cylinder	50	26	10	65	22	Special	CYKEY/S1/BL	BOX	1	
SS50P5/2.5KA		CEN 3	8	@WORK	50mm KA 2.5" Long shackle steel lock P5 (5 pin) cylinder	50	26	10	65	22	Special	KB P5	BOX	1	

6 Pin versions available with Restricted Profile **MK** Denotes Master Keyed

'E' and 'EM' Versions

Solid Steel - Euro Versions - body only - accepts modified half Euro

SS65E		CEN 5	10	@WORK	65mm Euro Body O/S - Accepts 1/2 modified 71 Double Euro	65	31.8	12.7	29	29.5	5012245008494	n/a	BOX	1	
SS50EM		CEN 4	9	@WORK	50mm Euro Body O/S - Accepts 1/2 modified 71 Double Euro	50	26	10	26	22	5012245008739	n/a	BOX	1	
SS50EM L.SMITH		CEN 3	8	@WORK	50mm Unhardened Body - Accepts 1/2 modified 71 Double Euro	50	26	10	26	22	5012245008777	n/a	BOX	1	
SS65CE		CEN 6	10	@WORK	65mm Euro Body C/S - Accepts 1/2 modified 71 Euro Double	65	31.8	12.7	19	19	5012245005073	n/a	BOX	1	
SS50CEM		CEN 4	9	@WORK	50mm Euro Body C/S - Accepts 1/2 modified 71 Euro Double	50	26	10	16	16	5012245008746	n/a	BOX	1	
SS65E/2.5		CEN 5	10	@WORK	65mm Euro Body 2.5" L/S - Accepts 1/2 modified 71 Euro Double	65	31.8	12.7	65	29.5	Special	n/a	BOX	1	
SS50EM/2.5		CEN 4	9	@WORK	50mm Euro Body 2.5" L/S - Accepts 1/2 modified 71 Euro Double	50	26	10	65	22	5012245008753	n/a	BOX	1	

new
SS45S

New SS45 - Open Shackle

SS45			7	@WORK	45mm Open shackle steel lock 6 pin S cylinder	49.1	32.1	6	35.5	20	5012245008494	CYKEY/S1/BL	BOX	1	■
SS45KA			7	@WORK	45mm Open shackle steel lock 6 pin S cylinder keyed alike	49.1	32.1	6	35.5	20	5012245008739	CYKEY/S1/BL	BOX	1	

Stronghold® Range

SS50S MARINE

SS50CS MARINE

SS50S/2.5 MARINE

Marine

Marine - Stainless Steel Shackle



Code	CEN	Security Rating	@	Description	Dimensions mm A	B	C	D	E	Barcode	Key Blank	Pack Type	Min Qty	MK
SS50S/MARINE	CEN 3	8	@WORK	50mm Open Stainless steel shackle lock 6 pin (S) cylinder	50	26	10	26	22	Special	CYKEY/S1/BL	BOX	1	■
SS50P5/MARINE	CEN 3	8	@WORK	50mm Open Stainless steel shackle lock 5 pin (P5) cylinder	50	26	10	26	22	Special	KB P5	BOX	1	■
SS50S/MARINE/KA	CEN 3	8	@WORK	50mm Open St/steel shackle lock 6 pin (S) keyed alike cylinder	50	26	10	26	22	Special	CYKEY/S1/BL	BOX	1	
SS50P5/MARINE/KA	CEN 3	8	@WORK	50mm Open St/steel shackle lock 5 pin (P5) keyed alike cylinder	50	26	10	26	22	Special	KB P5	BOX	1	
SS50CS/MARINE	CEN 3	8	@WORK	50mm Closed Stainless steel shackle lock 6 pin (S) cylinder	50	26	10	16	16	Special	CYKEY/S1/BL	BOX	1	■
SS50CP5/MARINE	CEN 3	8	@WORK	50mm Closed Stainless steel shackle lock 5 pin (P5) cylinder	50	26	10	16	16	Special	KB P5	BOX	1	■
SS50CS/MARINE/KA	CEN 3	8	@WORK	50mm Closed St/steel shackle lock 6 pin (S) keyed alike cylinder	50	26	10	16	16	Special	CYKEY/S1/BL	BOX	1	
SS50CP5/MARINE/KA	CEN 3	8	@WORK	50mm Closed St/steel shackle lock 5 pin (P5) keyed alike cylinder	50	26	10	16	16	Special	KB P5	BOX	1	
SS50S/2.5/MARINE	CEN 3	8	@WORK	50mm 2.5" Long Stainless steel shackle lock 6 pin (S) cylinder	50	26	10	65	22	Special	CYKEY/S1/BL	BOX	1	■
SS50P5/2.5/MARINE	CEN 3	8	@WORK	50mm 2.5" Long Stainless steel shackle lock 5 pin (P5) cylinder	50	26	10	65	22	Special	KB P5	BOX	1	■
SS50S/2.5/MARINE/KA	CEN 3	8	@WORK	50mm 2.5" St/steel shackle lock 6 pin (S) keyed alike cylinder	50	26	10	26	22	Special	CYKEY/S1/BL	BOX	1	
SS50P5/2.5/MARINE/KA	CEN 3	8	@WORK	50mm 2.5" St/steel shackle lock 5 pin (P5) keyed alike cylinder	50	26	10	26	22	Special	KB P5	BOX	1	
SS50EM/MARINE	CEN 3	8	@WORK	Euro Body Marine O/S - Accepts 1/2 modified 71 Double Euro	50	26	10	26	22	Special	n/a	BOX	1	
SS50CEM/MARINE	CEN 3	8	@WORK	Euro Body Marine C/S - Accepts 1/2 modified 71 Euro Double	50	26	10	16	16	Special	n/a	BOX	1	

6 Pin versions available with Restricted Profile **MK** Denotes Master Keyed

SS50CS COMBI

SS50 COMBI

Stronghold® SS50 Combi Extra High Security Padlocks



Code	Security Rating	@	Description	Dimensions mm A	B	C	D	E	Barcode	Number of Combinations	Pack Type
SS50/COMBI	8	@WORK	5 Wheel O/S Combi Hardened steel c/w weather cover	55	30	10	24	22	5012245028690	100,000	BLISTER
SS50C/COMBI	8	@WORK	5 Wheel C/S Combi Hardened steel c/w weather cover	55	30	10	14	16	5012245028706	100,000	BLISTER

WS75

Body size modified to fit both new and old style containers.

Stronghold® WS75



Code	CEN	Security Rating	@	Description	Dimensions mm A	B	C	D	E	F	Barcode	Key Blank	Pack Type	Min Qty	MK
WS75S	CEN 4	9	@WORK	Container lock 6 pin S cylinder	80	26	12	14	27	65	5012245029666	CYKEY/S1/BL	BLISTER	1	■
WS75SKA	CEN 4	9	@WORK	KA Container lock 6 pin S cylinder	80	26	12	14	27	65	Special	CYKEY/S1/BL	BOX	1	

MK Denotes Master Keyed
Available with restricted profile

HLS50

High Security Lockset



Code	CEN	Security Rating	@	Description	Dimensions mm A	B	C	D	E	F	Barcode	Key Blank	Pack Type	Min Qty	MK
HLS50S	CEN 5	9	@WORK	Hardened Steel Lock / Hardened SG Iron Hasp - 6 pin cylinder	150	68	16	50	26	110	5012245003499	CYKEY/S1/BL	BOX	1	■
HLS50P5	CEN 3	9	@WORK	Hardened Steel Lock / SG Iron Hasp - 5 pin cylinder	150	68	16	50	26	110	5012245009392	KB P5	BLISTER	1	■
HLS50S Body	CEN 5	9	@WORK	Replacement Lock to fit HLS50S				50	26	110	Special	CYKEY/S1/BL	BOX	1	■
HLS50SKA	CEN 5	9	@WORK	KA Hardened Steel Lock / Hardened SG Iron Hasp - 6 pin cylinder	150	68	16	50	26	110	Special	CYKEY/S1/BL	BOX	1	
HLS50P5KA	CEN 3	9	@WORK	KA Hardened Steel Lock / SG Iron Hasp - 5 pin cylinder	150	68	16	50	26	110	Special	KB P5	BOX	1	
HLS50S Body KA	CEN 5	9	@WORK	KA Replacement Lock to fit HLS50S				50	26	110	Special	CYKEY/S1/BL	BOX	1	

STH1

Stronghold® CEN Rated Padbars

Code	CEN	Security Rating	@	Description	Dimensions mm A	B	C	Staple Clearance	Barcode	Key Blank	Pack Type	Min Qty	MK
STH1	CEN 6	10	@WORK	Stronghold Hardened Padbar - CEN 6	184	86	32	12.7	5012245007770	n/a	BOX	1	
STH2	CEN 4	9	@WORK	Stronghold Padbar - CEN 4	184	86	32	12.7	5012245007787	n/a	BOX	1	

Warrior® Range

A heavy duty, high specification range of combination padlocks.

They don't get much tougher than our new range of heavy duty, high performance Warrior padlocks available in a vast range body widths and shackle types. The armoured steel body, boron shackle and protective cover make these Warriors hard to beat. And they are supported by Crimestoppers.

Warrior® Combi Range - Features



- Hardened **Boron** steel shackle with Satin Chrome finish
- Armoured steel body
- Soft feel cover
- 45 and 55 versions have 4 Wheels 10,000 combinations
- 65 versions have 5 wheels 100,000 combinations
- Ergonomic designed wheels for ease of use - Fully recodable
- Patented

Boron steel shackle

Boron steel shackle

10 Year Guarantee

Warrior® Combi Range

new

Boron steel shackle

Supported by CRIMESTOPPERS™

Independent crime-fighting charity



Open Shackle

Code	Security Rating	@	Description	Dimensions mm A	B	C	D	E	Barcode	Number of Combinations	Pack Type	Min Qty
WARRIOR COMBI 65	8	@WORK	5 Wheel 65mm Open shackle Combination padlock	65	39	12	30	28	5012245035797	100,000	BLISTER	4
WARRIOR COMBI 55	7	@WORK	4 Wheel 55mm Open shackle Combination padlock	55	32	10	25	23	5012245035827	10,000	BLISTER	6
WARRIOR COMBI 45	6	@WORK	4 Wheel 45mm Open shackle Combination padlock	45	25	8	20	18	5012245035858	10,000	BLISTER	6

Closed Shackle

WARRIOR COMBI 65C	9	@WORK	5 Wheel 65mm Closed shackle Combination padlock	65	39	12	25	23	5012245035780	100,000	BLISTER	4
WARRIOR COMBI 55C	8	@WORK	4 Wheel 55mm Closed shackle Combination padlock	55	32	10	19	19	5012245035810	10,000	BLISTER	4
WARRIOR COMBI 45C	7	@WORK	4 Wheel 45mm Closed shackle Combination padlock	45	25	8	15	15	5012245035841	10,000	BLISTER	6

Long Shackle

WARRIOR COMBI 65/2.5	8	@WORK	5 Wheel 65mm 2.5" Long shackle Combination padlock	65	39	12	63	28	5012245035803	100,000	BLISTER	4
WARRIOR COMBI 55/2.5	7	@WORK	4 Wheel 55mm 2.5" Long shackle Combination padlock	55	32	10	63	23	5012245035834	10,000	BLISTER	6
WARRIOR COMBI 45/2.5	6	@WORK	4 Wheel 45mm 2.5" Long shackle Combination padlock	45	25	8	63	18	5012245035865	10,000	BLISTER	6

Warrior® Range

Warrior® Key Range

A heavy duty, high specification range of key operated padlocks.

These uniquely designed padlocks offer a medium to high level of security. They come in 3 body widths 45mm, 55mm and 65mm and within each size, open shackle, closed shackle and long shackle variants are available. They can be supplied Keyed Alike upon request and are supported by Crimestoppers.

Warrior® Range - Features



Supported by CRIMESTOPPERS™
Independent crime-fighting charity

CEN approved

Warrior® Key Range



WAR45CS WAR45 WAR45/2.5

Open Shackle

Code	CEN	Security Rating	@	Description	Dimensions mm A	B	C	D	E	Barcode	Key Blank	Pack Type	Min Qty
WARRIOR 65	CEN 3	8	@WORK	65mm Open shackle steel padlock 5 pin cylinder	65	34	12	30	24	5012245035704	KB P5	BLISTER	4
WARRIOR 55	CEN 3	7	@WORK	55mm Open shackle steel padlock 5 pin cylinder	55	34	10	30	24	5012245035735	KB P5	BLISTER	6
WARRIOR 45	CEN 2	6	@WORK	45mm Open shackle steel padlock 5 pin cylinder	45	26	8	20	20	5012245035766	KB P5	BLISTER	6
WARRIOR 65 KA	CEN 3	8	@WORK	65mm KA Open shackle steel padlock 5 pin cylinder	65	34	12	30	24	Special	KB P5	BOX	1
WARRIOR 55 KA	CEN 3	7	@WORK	55mm KA Open shackle steel padlock 5 pin cylinder	55	34	10	30	24	Special	KB P5	BOX	1
WARRIOR 45 KA	CEN 2	6	@WORK	45mm KA Open shackle steel padlock 5 pin cylinder	45	26	8	20	20	Special	KB P5	BOX	1

WAR55CS WAR55 WAR55/2.5

Closed Shackle

WARRIOR 65C	CEN 3	9	@WORK	65mm Closed shackle steel padlock 5 pin cylinder	65	34	12	27	16	5012245035698	KB P5	BLISTER	4
WARRIOR 55C	CEN 3	8	@WORK	55mm Closed shackle steel padlock 5 pin cylinder	55	34	10	17	15	5012245035728	KB P5	BLISTER	6
WARRIOR 45C	CEN 2	7	@WORK	45mm Closed shackle steel padlock 5 pin cylinder	45	26	8	18	15	5012245035759	KB P5	BLISTER	6
WARRIOR 65C KA	CEN 3	9	@WORK	65mm KA Closed shackle steel padlock 5 pin cylinder	65	34	12	27	16	Special	KB P5	BOX	1
WARRIOR 55C KA	CEN 3	8	@WORK	55mm KA Closed shackle steel padlock 5 pin cylinder	55	34	10	17	15	Special	KB P5	BOX	1
WARRIOR 45C KA	CEN 2	7	@WORK	45mm KA Closed shackle steel padlock 5 pin cylinder	45	26	8	18	15	Special	KB P5	BOX	1

WAR65CS WAR65

P5 Key WAR65/2.5

Long Shackle

WARRIOR 65/2.5	CEN 3	8	@WORK	65mm 2.5" Long shackle steel padlock 5 pin cylinder	65	34	12	63	24	5012245035711	KB P5	BLISTER	4
WARRIOR 55/2.5	CEN 3	7	@WORK	55mm 2.5" Long shackle steel padlock 5 pin cylinder	55	34	10	63	24	5012245035742	KB P5	BLISTER	6
WARRIOR 45/2.5	CEN 2	6	@WORK	45mm 2.5" Long shackle steel padlock 5 pin cylinder	45	26	8	63	20	5012245035773	KB P5	BLISTER	6
WARRIOR 65/2.5 KA	CEN 3	8	@WORK	65mm KA 2.5" Long shackle steel padlock 5 pin cylinder	65	34	12	63	24	Special	KB P5	BOX	1
WARRIOR 55/2.5 KA	CEN 3	7	@WORK	55mm KA 2.5" Long shackle steel padlock 5 pin cylinder	55	34	10	63	24	Special	KB P5	BOX	1
WARRIOR 45/2.5 KA	CEN 2	6	@WORK	45mm KA 2.5" Long shackle steel padlock 5 pin cylinder	45	26	8	63	20	Special	KB P5	BOX	1

Combination Range

A premium range of high performance combination locks

Unique in design, our combination locks are manufactured to the highest standards for quality performance. Easy to use, they are fully recodable and many can be coded alike so one code opens several locks. Many of our locks are patented and are supported by Crimestoppers and Secured by Design.

In the @WORK combination range Squire offer the **Stronghold®** combination padlocks, **SHCB 75** and **CBW85** which all have 5 wheels giving 100,000 possible combinations. Within the **Warrior** range the 45mm and 50mm versions have 4 wheels giving 10,000 possible combinations, the 65mm versions have 5 wheels giving 100,000 combinations.

Squire combination locks feature our patented TORQ DRIV™ technology to ensure the lock cannot be accidentally recoded.

Secured by Design

Police Preferred Specification

Supported by CRIMESTOPPERS™

Independent crime-fighting charity

No keys to lose

10 Year Guarantee



SS50/COMBI

SS50C/COMBI

Stronghold® Combi - SS50 Combi

Code	Security Rating	@	Description	Dimensions mm A	B	C	D	E	Barcode	Number of Combinations	Pack Type	Min Qty
SS50/COMBI	8	@WORK	5 Wheel O/S Combi Hardened steel c/w weather cover	55	30	10	24	22	5012245028690	100,000	BLISTER	2
SS50C/COMBI	8	@WORK	5 Wheel C/S Combi Hardened steel c/w weather cover	55	30	10	14	16	5012245028706	100,000	BLISTER	2

SHCB75

SHCB65

CBW85

SHCB High Security Recodable Padlocks

SHCB65	6	@WORK	65mm Combination Block Lock 4 wheel	65	19	11	15	20	5012245009026	10,000	BLISTER	4
SHCB75	7	@WORK	75mm Combination Block Lock 5 wheel	75	19	12.7	15	20	5012245009033	100,000	BLISTER	4
CBW85	7	@WORK	85mm Wide Clearance Combination Block Lock 5 wheel	85	19	12.7	17	37	5012245008654	100,000	BLISTER	4
SHCB65/Chain	6	@WORK	65mm 4 wheel combi c/w chain attachment (2.4mm x 305mm)	65	19	11	15	20	Special	10,000	BOX	1
SHCB75/Chain	7	@WORK	75mm 5 wheel combi c/w chain attachment (2.4mm x 305mm)	75	19	12.7	15	20	Special	100,000	BOX	1
CBW85/Chain	7	@WORK	Wide Clearance 5 wheel combi, chain attached (2.4mm x 305mm)	85	19	12.7	17	37	Special	100,000	BOX	1

WAR COMBI 65C

WAR COMBI 65

WAR COMBI 65/2.5

WAR COMBI 55C

WAR COMBI 55

WAR COMBI 55/2.5

WAR COMBI 45C

WAR COMBI 45

WAR COMBI 45/2.5

Warrior® Combi Range

Open Shackle

WARRIOR COMBI 65	8	@WORK	5 Wheel 65mm Open shackle Combination padlock	65	39	12	30	28	5012245035797	100,000	BLISTER	4
WARRIOR COMBI 55	7	@WORK	4 Wheel 55mm Open shackle Combination padlock	55	32	10	25	23	5012245035827	10,000	BLISTER	6
WARRIOR COMBI 45	6	@WORK	4 Wheel 45mm Open shackle Combination padlock	45	25	8	20	18	5012245035858	10,000	BLISTER	6

Closed Shackle

WARRIOR COMBI 65C	9	@WORK	5 Wheel 65mm Closed shackle Combination padlock	65	39	12	25	23	5012245035780	100,000	BLISTER	4
WARRIOR COMBI 55C	8	@WORK	4 Wheel 55mm Closed shackle Combination padlock	55	32	10	19	19	5012245035810	10,000	BLISTER	6
WARRIOR COMBI 45C	7	@WORK	4 Wheel 45mm Closed shackle Combination padlock	45	25	8	15	15	5012245035841	10,000	BLISTER	6

Long Shackle

WARRIOR COMBI 65/2.5	8	@WORK	5 Wheel 65mm 2.5" Long shackle Combination padlock	65	39	12	63	28	5012245035803	100,000	BLISTER	4
WARRIOR COMBI 55/2.5	7	@WORK	4 Wheel 55mm 2.5" Long shackle Combination padlock	55	32	10	63	23	5012245035834	10,000	BLISTER	6
WARRIOR COMBI 45/2.5	6	@WORK	4 Wheel 45mm 2.5" Long shackle Combination padlock	45	25	8	63	18	5012245035865	10,000	BLISTER	6

General Use Padlocks

Warehouse Lock Range



ASWL1

ASWL2

WL2

WL3

Code	Security Rating	@	Description	Dimensions mm A	B	C	D	E	Barcode	Key Blank	Pack Type	Min Qty
ASWL1	6	@WORK	60mm Armoured Brass Block Lock (Small) 5 pin	60	25	10	12	22	5012245004250	KB P5	BLISTER	6
ASWL2	7	@WORK	80mm Armoured Brass Block Lock (Large) 5 pin	80	30	11	15	29	5012245004267	KB P5	BLISTER	6
ASWL1KA	6	@WORK	60mm KA Armoured Brass Block Lock (Small) 5 pin	60	25	10	12	22	Special	KB P5	BOX	1
ASWL2KA	7	@WORK	80mm KA Armoured Brass Block Lock (Large) 5 pin	80	30	11	15	29	Special	KB P5	BOX	1
WL2	4	@WORK	70mm Brass Block Lock (Medium) 5 Pin	70	20	12	15	21	5012245004236	KB P5	BLISTER	6
WL3	5	@WORK	90mm Brass Block Lock (Large) 5 Pin	90	20	12	18	35	5012245004243	KB P5	BLISTER	6
WL2KA	4	@WORK	70mm KA Brass Block Lock (Medium) 5 Pin	70	20	12	15	21	Special	KB P5	BOX	1
WL3KA	5	@WORK	90mm KA Brass Block Lock (Large) 5 Pin	90	20	12	18	35	Special	KB P5	BOX	1

DCL1

new boron shackle

Anti Drill

DCL Range



DCL1	6	@WORK	70mm Disc style padlock 5 pin	70	27.5	9.5	17.5	17	5012245003666	KB P5	BLISTER	6
DCL1KA	6	@WORK	KA Disc style padlock 5 pin	70	27.5	9.5	17.5	17	Special	KB P5	BOX	1

Lock Off

Code	Security Rating	@	Description	Dimensions mm A	B	C	Shackle Clearance	Barcode	Pack Type	Min Qty
L4	N/A	@WORK	Lock Off - 6 hole	42	120	9	10	5012245021165	BOX	1

10 Year Guarantee

Combi-Bolt® 5

Unique recodable locking bolt

5 Wheels - 100,000 Combinations

new

- Die cast lock body
- Steel bolt
- Recodable CombiBolt5 has 5 wheels giving 100,000 combinations
- No Keys to Lose
- One handed operation
- Security screws included in pack
- High pick resistance
- Patented
- Replaces a padlock and hasp & staple

Uses

Sheds, cupboards, storage areas, cabinets, lockers

Can be coded alike

No keys to lose

Rustproof

All Weather

Combi-Bolt5®

Patented combination locking bolt

Code	Security Rating	@	Description	Dimensions mm A	B	C	Barcode	Number of Combinations	Pack Type	Min Qty
COMBI5	5	@WORK	150mm Combination Bolt blue die cast recodable	150	60	40	5012245035551	100,000	BLISTER	2
COMBI4	4	@HOME	120mm Combination Bolt blue die cast recodable	120	50	40	5012245009002	10,000	BLISTER	4
COMBI4 CH	4	@HOME	120mm Chrome finish Combination Bolt recodable	120	50	40	5012245020182	10,000	BLISTER	4
COMBI3	3	@HOME	92mm Combination Bolt blue die cast recodable	92	35	33	5012245031034	1,000	BLISTER	4
COMBI3 CH	3	@HOME	92mm Chrome finish Combination Bolt recodable	92	35	33	5012245031041	1,000	BLISTER	4

Hasp and Staples

Hardened Grades 3-5

HLS50 Lockset

- 50mm hardened steel body
- Black coated electrophoretic finish
- 26mm body thickness
- 10mm shackle diameter
- Re-keyable anti pick 6 pin tumbler lock mechanism

Hardened Grades 6

STH1 Padbar

- High security padbar with hardened hasp and staple.
- Special hardened cast material - extremely strong.
- Easy to fit.
- Hardened rotating staple for extra resistance to attack

Grades 4

STH2 Padbar

- High security padbar with hardened hasp and staple.
- Special cast material - extremely strong.
- Easy to fit.
- Hardened rotating staple for extra resistance to attack

Hardened

DCH1

- Works with DCL1 padlock only
- Hardened steel staple
- Steel construction
- Concealed fixings

Hardened

No.8

- Hardened maxiclam
- Hardened steel construction with anti-corrosion finish
- Coach bolt fixings for added security
- Concealed fixings
- Can be used on single or double doors

Hardened

LB2CS

- 6mm hardened steel
- Available right hand and left hand opening
- Can be used with open and closed shackle padlocks
- Black anti-corrosion finish
- Full padlock protection for extra security
- Heavy duty fixings
- Padlock sold separately

Hardened

LB1

- 6mm hardened steel
- Heavy duty 6mm thick construction
- Heavy duty fixings
- Black anti-corrosion finish
- Padlock sold separately

STH1

Stronghold® CEN Rated Padbars

Code	CEN	Security Rating	@	Description	Dimensions mm A	B	C	Staple Clearance	Barcode	Key Blank	Pack Type	Min Qty
STH1	6	10	@WORK	Stronghold Padbar - CEN 6	184	86	32	12.7	5012245007770	n/a	BOX	1
STH2	4	9	@WORK	Stronghold Padbar - CEN 4	184	86	32	12.7	5012245007787	n/a	BOX	1

NO.8

DCH1

DCL1/DCH1

Hasp and Staples





Code	Security Rating	@	Description	Dimensions mm A	B	C	Staple Clearance	D	E	F	G	H	Barcode	Key Blank	Pack Type	Min Qty
NO.8	7	@WORK	Hardened Maxiclam	216	54.2	38	25						5012245003284	n/a	BLISTER	2
DCH1	6	@WORK	Hasp & Staple (to suit DCL padlock)	118	56	34	9.5						5012245009484	n/a	BLISTER	6
DCL1/DCH1	6	@WORK	Disc style padlock with hasp & staple set	118	56	34		70	27.5	9.5	17.5	17	5012245009491	KB P5	BLISTER	6

HLS50

Stronghold® High Security Lockset

Code	CEN	Security Rating	@	Description	Dimensions mm A	B	C	D	E	F	Barcode	Key Blank	Pack Type	Min Qty	MK
HLS50S	CEN 5	9	@WORK	Hardened Steel Lock / Hardened SG Iron Hasp - 6 pin cylinder	150	68	16	50	26	110	5012245003499	CYKEY/S1/BL	BOX	1	■
HLS50P5	CEN 3	9	@WORK	Hardened Steel Lock / SG Iron Hasp - 5 pin cylinder	150	68	16	50	26	110	5012245009392	KB P5	BLISTER	1	■
HLS50S Body	CEN 5	9	@WORK	Replacement Lock to fit HLS50S				50	26	110	Special	CYKEY/S1/BL	BOX	1	■
HLS50SKA	CEN 5	9	@WORK	KA Hardened Steel Lock / Hardened SG Iron Hasp - 6 pin cylinder	150	68	16	50	26	110	Special	CYKEY/S1/BL	BOX	1	
HLS50P5KA	CEN 3	9	@WORK	KA Hardened Steel Lock / SG Iron Hasp - 5 pin cylinder	150	68	16	50	26	110	Special	KB P5	BOX	1	
HLS50S Body KA	CEN 5	9	@WORK	KA Replacement Lock to fit HLS50S				50	26	110	Special	CYKEY/S1/BL	BOX	1	

LB1

Note: Padlock sold separately
LB2CS

Brackets

Code	Security Rating	@	Description	Dimensions mm A	B	C	Staple Clearance	Barcode	Pack Type	Min Qty
LB1	7	@WORK	Hardened steel brackets	105	30	48	14	5012245007237	BLISTER	2
LB2CS LH	8	@WORK	Left handed Shielded Hardened steel brackets	105	30	54	14	5012245007244	BLISTER	2
LB2CS RH	8	@WORK	Right handed Shielded Hardened steel brackets	105	30	54	14	5012245007220	BLISTER	2

TC Chain

G Chain

J Chain

SS65CS/TC14

SS50Combi/G3

SS50S/G3

DCL1/J3

High Security **Hardened Alloy Steel Chains** - Sold Secure Approved

SOLD SECURE
GOLD
SILVER
BRONZE

TC19

TC16

TC14

G3

J4

Code	Security Rating	Sold Secure	Description	Dimensions mm Link Diameter	Chain Length	Barcode	Pack Type	Min Qty
TC19/5	10	Motorcycle	TC Chain alloy steel hardened chain, black sleeve	19	1500	5012245035889	BOX	1
TC16/5	10	Motorcycle	TC Chain alloy steel hardened chain, black sleeve	16	1500	5012245035896	BOX	1
TC14/3	10	Motorcycle	TC Chain alloy steel hardened chain, black sleeve	14	915	5012245028089	BOX	1
TC14/4	10	Motorcycle	TC Chain alloy steel hardened chain, black sleeve	14	1200	5012245028096	BOX	1
TC14/6	10	Motorcycle	TC Chain alloy steel hardened chain, black sleeve	14	1800	5012245032635	BOX	1
G3	9	Bicycle	G Chain alloy steel hardened chain, black sleeve	10	915	5012245006537	BOX	1
G4	9	Bicycle	G Chain alloy steel hardened chain, black sleeve	10	1200	5012245003116	BOX	1
J3	8	Bicycle	J Chain alloy steel hardened chain, black sleeve	8	915	5012245008630	BOX	1
J4	8	Bicycle	J Chain alloy steel hardened chain, black sleeve	8	1200	5012245004366	BOX	1

High Security Lock And Chain Sets



Hardened Alloy Steel Chains - Sold Secure Approved

SS65CS/TC14

SS50CS/TC14

DCL1/J3

Code	Security Rating	Sold Secure	@	Description	Link Diameter	Chain Length	Dimensions mm A	B	C	D	E	Barcode	Key Blank	Pack Type	Min Qty	MK
SS65CS/TC14/3	10	Motorcycle	URBAN	SS65CS padlock with hardened alloy chain	14	915	65	31.8	12.7	19	19	5012245029215	CYKEY/S1/BL	BOX	1	■
SS65CS/TC14/4	10	Motorcycle	URBAN	SS65CS padlock with hardened alloy chain	14	1200	65	31.8	12.7	19	19	5012245022346	CYKEY/S1/BL	BOX	1	■
SS50CS/TC14/3	10	Motorcycle	URBAN	SS50CS padlock with hardened alloy chain	14	915	50	26	10	16	16	5012245029222	CYKEY/S1/BL	BOX	1	■
SS50CS/TC14/4	10	Motorcycle	URBAN	SS50CS padlock with hardened alloy chain	14	1200	50	26	10	16	16	5012245029239	CYKEY/S1/BL	BOX	1	■
SS50CS/G4	9	Bicycle	URBAN	SS50CS padlock with hardened alloy chain	10	1200	50	26	10	16	16	5012245004045	CYKEY/S1/BL	BOX	1	■
DCL1/J3	9	Bicycle	URBAN	DCL1 Padlock with hardened alloy steel chain	8	915	70	27.5	9.5	17.5	17	5012245020106	KB LN C SL	BOX	6	
SS65CS/TC14/3KA	10	Motorcycle	URBAN	KA SS65CS padlock with hardened alloy chain	14	915	65	31.8	12.7	19	19	Special	CYKEY/S1/BL	BOX	1	
SS65CS/TC14/4KA	10	Motorcycle	URBAN	KA SS65CS padlock with hardened alloy chain	14	1200	65	31.8	12.7	19	19	Special	CYKEY/S1/BL	BOX	1	
SS50CS/TC14/3KA	10	Motorcycle	URBAN	KA SS50CS padlock with hardened alloy chain	14	915	50	26	10	16	16	Special	CYKEY/S1/BL	BOX	1	
SS50CS/TC14/4KA	10	Motorcycle	URBAN	KA SS50CS padlock with hardened alloy chain	14	1200	50	26	10	16	16	Special	CYKEY/S1/BL	BOX	1	
SS50CS/G4 KA	9	Bicycle	URBAN	KA SS50CS padlock with hardened alloy chain	10	1200	50	26	10	16	16	Special	CYKEY/S1/BL	BOX	1	

SS50S/G3

SS50Combi/G3

High Security **Hardened Alloy Steel Chains**

SS50S/G3P	10	URBAN	SS50S Padlock with hardened alloy chain	10	915	50	26	10	26	22	5012245003536	CYKEY/S1/BL	BOX	1	■
SS50COMBI/G3	10	URBAN	SS50COMBI Padlock with hardened alloy chain	10	915	50	30	10	22	22	5012245035872	N/A	BOX	1	
VULCANP450/Y3	6	URBAN	VULCAN P4 50 Padlock with hardened steel chain	10	900	50	33	9.5	23.5	22	5012245035902	KB 02	BOX	1	
WARRIOR55/J3	7	URBAN	WARRIOR 55 Padlock with hardened all chain	8	915	55	34	10	30	24	5012245035919	KB LN C SL	BOX	1	

NOTE: Chains listed as URBAN Bicycle category are also suitable for use in the @WORK environment

Masterkeyed available

Sold Secure accreditations have been either attained or applied for at the time of print. Therefore they are subject to change during the lifetime of this catalogue

Stronghold® Key Safe
Sold Secure Bronze High Security Key Safe

new

Product features

- Hardened steel body, with soft feel cover
- 5 Wheel recodable- 100,000 combinations
- Sliding draw mechanism operated by pull knob
- Hinged cover for weather protection
- High security, Sold Secure Bronze accredited
- Supported by Crimestoppers and Secured by Design
- Keep your spare keys safe
- For internal and external use

Dimensions



SOLD SECURE 2017 BRONZE security cabinet

Supported by CRIMESTOPPERS
Independent crime-fighting charity

Secured by Design
SBD
Police Preferred Specification

Keykeep 2™
12 Button Recodable Key Safe With Weatherproof Cover

Product features

- Durable Die cast construction designed to withstand attack
- 12 Button recodable combination lock
  4000 possible combinations - recodable. Revoke access at any point by changing the code
- Chosen code can be any number of digits, from a one digit code, up to a 12 digit code
- Easy to recode
- Weather resistant cover
- Discrete appearance, dark colour does not attract attention
- Automatic reset feature for extra security.
- Internal capacity suitable for holding multiple keys. (85mm x 68mm x 13mm)
- Attaches easily to any flat surface
- Comes with 4 fixing bolts

Dimensions



No keys to lose

10 Year Guarantee

Keykeep 1™
4 Wheel Combination Key Safe

Product features

- Durable construction
- Four wheel recodable combination lock
- Weather resistant cover
- Easy to fit and recode

Keep a spare set of keys safely outside your property for emergencies

Typical uses

- Keep elderly or infirm relatives' keys for fast access in an emergency
- Easy access for your children when they get home
- Ideal for shed keys, garage keys etc
- Allows gardeners, cleaners, workmen, care workers access to your home
- Allows access to only those who know the code
- Provides a mini-safe for holiday homes, guest houses, B&Bs and rental accommodation
- Ideal for offices or holiday lets
- Keep your spare keys safe and secure
- Ideal for external and internal use
- Choose your own secure access code

Important Note: All key safes and key keeps should be placed out of sight so as not to invite attack. Fix your key safe in a discrete location and only make its location known to those who need access.

Check with your insurer that using a key safe does not in any way conflict with the terms and conditions of your insurance policy.

STRONGHOLD KEYSAFE

KEYKEEP1

KEYKEEP2

Key Safes

Code		Sold Secure	@	Description	Dimensions mm A	B	C	Barcode	Number of Combinations	Pack Type	Min Qty
Stronghold Keysafe		BRONZE	@WORK	Sold Secure high security key Safe	85	160	43	5012245035445	100,000	BLISTER	2
KEYKEEP1			@WORK	Combination Key Safe Blistered	85	120	35	5012245022087	10,000	BLISTER	2
KEYKEEP2			@WORK	Push Button Key Safe Blistered	78	121	57	5012245035322	4,000	BLISTER	2

SOLD SECURE

GOLD
SILVER
BRONZE

Introduction

10 Year Guarantee

@ HOME

@Home, as the name suggests, is perfect for home use. It includes general purpose products like our brass, laminated and combination padlocks. It's ideal for gates, toolboxes, cabinets and garage doors. And it includes specialist locks such as our combination bolt, locks & hasps for outside gates or sheds.

Product usage

- All-round home use
- Garage
- Shed
- Front gate
- Storage

Why choose @HOME

- Tough all round locks
- Weather-proofed
- Guaranteed 10 years
- Key and combi
- Thief-proof, tested

Security rating

basic 1-4 / high 5-7

Squire @HOME brands

- CP Combination
- **Combi-bolt**™
- **Vulcan**™ Combi
- **Vulcan**™ Key
- **Stronglock**™
- **Lion**
- **Old English**
- Medium duty security hasps
- **Keybolt**™

Vulcan™ Combi Range

A mighty robust high security range of combination locks

Named after Vulcan, the ancient Roman god of fire and metalworking, this mighty tough combination padlock range takes some beating. Easy to use in 4 and 5-wheel versions, these Vulcans are fully recodable and offer up to 100,000 combinations. That's why they're supported by the independent crime-fighting charity Crimestoppers.

Vulcan™ Combi Range - Features

- Hardened **Boron** steel shackle with Satin Chrome finish
- Double locking
- Vulcan40 and Vulcan50 4 Wheels 10,000 combinations
- Vulcan60 - 5 Wheels 100,000 combinations
- Fully recodable
- Satin chrome die cast alloy body with soft feel cover
- Patented

Boron steel shackle

Supported by CRIMESTOPPERS™

Independent crime-fighting charity



Vulcan™ Combi Range

Open Shackle

Code	Security Rating	@	Description	Dimensions mm A	B	C	D	E	Barcode	Number of Combinations	Pack Type	Min Qty
VULCAN COMBI 60	6	@HOME	60mm Combination Padlock - 5 wheel	60	33	10	34	28	5012245035612	100,000	BLISTER	4
VULCAN COMBI 50	5	@HOME	50mm Combination Padlock - 4 wheel	50	26	8	26	22.6	5012245035506	10,000	BLISTER	6
VULCAN COMBI 40	4	@HOME	40mm Combination Padlock - 4 wheel	40	22	6	20	17	5012245035643	10,000	BLISTER	6

Closed Shackle

VULCAN COMBI 60CS	7	@HOME	60mm Closed Shackle Combination Padlock - 5 wheel	60	33	10	29	22	5012245035629	100,000	BLISTER	4
VULCAN COMBI 50CS	6	@HOME	50mm Closed Shackle Combination Padlock - 4 wheel	50	26	8	22	15	5012245035520	10,000	BLISTER	6
VULCAN COMBI 40CS	4	@HOME	40mm Closed Shackle Combination Padlock - 4 wheel	40	22	6	17	13	5012245035650	10,000	BLISTER	6

Long Shackle

VULCAN COMBI 60/2.5	6	@HOME	60mm 2.5" Long Shackle Combination Padlock - 5 wheel	60	33	10	63	28	5012245035636	100,000	BLISTER	4
VULCAN COMBI 50/2.5	5	@HOME	50mm 2.5" Long Shackle Combination Padlock - 4 wheel	50	26	8	63	22.6	5012245035513	10,000	BLISTER	6
VULCAN COMBI 40/2.5	4	@HOME	40mm 2.5" Long Shackle Combination Padlock - 4 wheel	40	22	6	63	17	5012245035667	10,000	BLISTER	6

Vulcan™ Range

A mighty tough range of high performance locks

These uniquely designed key operated padlocks offer a medium to high level of security. They come in 3 body widths 40mm, 45mm and 50mm and within each size, open shackle, closed shackle and long shackle variants are available They can be supplied Keyed Alike upon request and are supported by Crimestoppers.

Vulcan™ Range - Features



Supported by CRIMESTOPPERS™
Independent crime-fighting charity

Boron steel shackle

10 Year Guarantee

VULCAN P4 50

VULCAN P4 50CS

VULCAN P4 50/2.5

VULCAN P4 45

VULCAN P4 45CS

VULCAN P4 40

VULCAN P4 40/2.5

Vulcan™ Key Range



Open Shackle

Code	Security Rating	@	Description	Dimensions mm A	B	C	D	E	Barcode	Key Blank	Pack Type	Min Qty
VULCAN P4 50	6	@HOME	50mm Steel Body, Die cast cover with Boron Shackle	55	33	9.5	23.5	22	5012245035469	KB 02	BLISTER	6
VULCAN P4 45	5	@HOME	45mm Steel Body, Die cast cover with Boron Shackle	48	28	8	19	20.5	5012245035582	KB 02	BLISTER	6
VULCAN P4 40	5	@HOME	40mm Steel Body, Die cast cover with Boron Shackle	44	27	7	18	19	5012245035452	KB 02	BLISTER	6
VULCAN P4 50 KA	6	@HOME	50mm KA Diecast Body Padlock with Boron Shackle	55	33	9.5	23.5	22	Special	KB 02	BOX	1
VULCAN P4 45 KA	5	@HOME	45mm KA Diecast Body Padlock with Boron Shackle	48	28	8	19	20.5	Special	KB 02	BOX	1
VULCAN P4 40 KA	5	@HOME	40mm KA Diecast Body Padlock with Boron Shackle	44	27	7	18	19	Special	KB 02	BOX	1

Closed Shackle

VULCAN P4 50CS	7	@HOME	50mm Steel Body, Die cast cover with Boron Shackle	55	33	9.5	19	16	5012245035476	KB 02	BLISTER	6
VULCAN P4 45CS	6	@HOME	45mm Steel Body, Die cast cover with Boron Shackle	48	28	8	15.2	14	5012245035599	KB 02	BLISTER	6
VULCAN P4 50CS KA	7	@HOME	50mm KA Steel Body, Die cast cover with Boron Shackle	55	33	9.5	19	16	Special	KB 02	BOX	1
VULCAN P4 45CS KA	6	@HOME	45mm KA Steel Body, Die cast cover with Boron Shackle	48	28	8	15.2	14	Special	KB 02	BOX	1

Long Shackle

VULCAN P4 50/2.5	6	@HOME	50mm Steel Body, Die cast cover with Boron Shackle	55	33	9.5	63	23.5	5012245035575	KB 02	BLISTER	6
VULCAN P4 40/2.5	5	@HOME	40mm Steel Body, Die cast cover with Boron Shackle	44	27	7	63	19	5012245035605	KB 02	BLISTER	6
VULCAN P4 50/2.5 KA	6	@HOME	50mm KA Steel Body, Die cast cover with Boron Shackle	55	33	9.5	63	23.5	Special	KB 02	BOX	1
VULCAN P4 40/2.5 KA	5	@HOME	40mm KA Steel Body, Die cast cover with Boron Shackle	48	28	8	63	20.5	Special	KB 02	BOX	1

CP Range - Combination

A heavy-duty range of recodable combination padlocks

Unique in design, our combination locks are manufactured to the highest standards for quality performance. Easy to use, they are fully recodable and a number of locks can be coded alike so that one code opens several locks. Many of our locks are patented and have individual design features to improve performance and security.

CP Range - Features

- Hardened steel shackle (Rustproof versions stainless steel shackles)
- Double locking
- CP40 and CP50 - 4 Wheels 10,000 combinations
- CP60 - 5 Wheels 100,000 combinations
- Fully recodable
- Die cast alloy body with dual compound cover
- Patented

CP Range Padlocks



CP60 - 60mm

Code	Security Rating	@	Description	Dimensions mm A	B	C	D	E	Barcode	Number of Combinations	Pack Type	Min Qty
CP60	6	@HOME	60mm Combi Padlock - 5 wheel	60	33	10	34	28	5012245025736	100,000	BLISTER	3
CP60/2.5	6	@HOME	CP60 with a 63mm vertical shackle clearance	60	33	10	63	28	5012245025743	100,000	BLISTER	3
CP60CS	7	@HOME	CP60 with closed shackle	60	33	10	29	22	5012245025750	100,000	BLISTER	3

CP50 - 50mm

CP50	5	@HOME	50mm Combi Padlock - 4 wheel	50	26	8	26	22.6	5012245021783	10,000	BLISTER	6
CP50/1.5	5	@HOME	CP50 with a 38mm vertical shackle clearance	50	26	8	38.1	22.6	5012245021806	10,000	BLISTER	6
CP50/2.5	5	@HOME	CP50 with a 63mm vertical shackle clearance	50	26	8	63.5	22.6	5012245021813	10,000	BLISTER	6
CP50CS	6	@HOME	CP50 with closed shackle	50	26	8	22	16	5012245021790	10,000	BLISTER	3

CP40 - 40mm

CP40	4	@HOME	40mm Combi Padlock - 4 wheel	40	22	6	20	17	5012245024609	10,000	BLISTER	6
CP40/2.5	4	@HOME	CP40 with a 63mm vertical shackle clearance	40	22	6	63	17	5012245024616	10,000	BLISTER	6
CP40CS	4	@HOME	CP40 with closed shackle	40	22	6	17	13	5012245024623	10,000	BLISTER	6

CP30 - 30mm

CP30	2	@LEISURE	30mm Combi Padlock - 3 wheel	30	16	4	15	13	5012245033649	1,000	BLISTER	6

Rustproof

CP50S	4	@LEISURE	CP50 with rustproof stainless steel shackle	50	26	8	26	22.6	5012245029659	10,000	BLISTER	6
CP40S	3	@LEISURE	CP40 with rustproof stainless steel shackle	40	22	6	20	17	5012245029642	10,000	BLISTER	6

Recoding tools

RK/CP40/CP50	N/A	@HOME	Recoding tool for CP40 and CP50	n/a	n/a	n/a	n/a	n/a	Special	n/a	BAG	1
RK/SS50COMBI/CP60	N/A	@HOME	Recoding tool for SS50 Combi Range and CP60	n/a	n/a	n/a	n/a	n/a	Special	n/a	BAG	1

Solid Brass Padlocks Premium Grade

The Lion range offers a superior level of security for indoor and outdoor use and is available keyed alike.

Features

- Hardened steel shackle
- Double locking 30mm and above
- Solid brass lock body
- Pin tumbler lock mechanism

Benefits

- Superior duty security - excellent economic choice
- For internal and external use





Lion Range - Premium Solid Brass

LN2 LN3 LN4

LN5 LN60

LN4/2.5 LN5/2.5

Code	Security Rating	@	Description	Dimensions mm A	B	C	D	E	Barcode	Key Blank	Pack Type	Min Qty
LN2	2	@LEISURE	25mm Premium Brass 4 pin	24.5	11.1	4	16.7	13.5	5012245002676	KB LN A SL	BLISTER	12
LN3	2	@LEISURE	30mm Premium Brass 4 pin Double Locking	31.5	13	5.5	19.5	16.5	5012245002683	KB LN C SL	BLISTER	12
LN4	3	@HOME	40mm Premium Brass 5 pin Double Locking	39.5	14	6	21.1	22.5	5012245002690	KB LN C SL	BLISTER	6
LN5	4	@HOME	50mm Premium Brass 5 pin Double Locking	51	15.5	8.8	30	28	5012245002713	KB LN C SL	BLISTER	6
LN60	5	@HOME	60mm Premium Brass 5 pin Double Locking	60	18.6	9.5	35.5	33.5	5012245003376	KB LN C SL	BLISTER	6
LN2KA	2	@LEISURE	KA 25mm Premium Brass 4 pin	24.5	11.1	4	16.7	13.5	Special	KB LN A SL	BOX	12
LN3KA	2	@LEISURE	KA 30mm Premium Brass 4 pin Double Locking	31.5	13	5.5	19.5	16.5	Special	KB LN C SL	BOX	12
LN4KA	3	@HOME	KA 40mm Premium Brass 5 pin Double Locking	39.5	14	6	21.1	22.5	Special	KB LN C SL	BOX	6
LN5KA	4	@HOME	KA 50mm Premium Brass 5 pin Double Locking	51	15.5	8.8	30	28	Special	KB LN C SL	BOX	6
LN4/2.5	3	@HOME	2.5" L/S 40mm Premium Brass 5 pin Double Locking	39.5	14	6	64	22.5	5012245002706	KB LN C SL	BLISTER	6
LN5/2.5	4	@HOME	2.5" L/S 50mm Premium Brass 5 pin Double Locking	51	15.5	8.8	65	28	5012245006032	KB LN C SL	BLISTER	6
LN4/2.5KA	3	@HOME	KA 2.5" L/S 40mm Premium Brass 5 pin Double Locking	39.5	14	6	64	22.5	Special	KB LN C SL	BOX	6
LN4T	3	@HOME	40mm Twinpack KA (2 x LN4 KA on one card)	39.5	14	6	21.1	22.5	5012245003314	KB LN C SL	BLISTER	6
LN5T	4	@HOME	50mm Twinpack KA (2 x LN5 KA on one card)	51	15.5	8.8	30	28	5012245009781	KB LN C SL	BLISTER	6

Old English

220 440 660

Code	Security Rating	@	Description	Dimensions mm A	B	C	D	E	Barcode	Key Blank	Pack Type	Min Qty
220	2	@HOME	Small Old English Galvanised Steel 4 Lever	38	14.5	7	11	12	5012245000221	KB 220	BLISTER	6
440	3	@HOME	Medium Old English Galvanised Steel 4 Lever	51	16.5	8	18	18	5012245000269	KB 440	BLISTER	6
660	3	@HOME	Large Old English Galvanised Steel 4 Lever	64	19.7	10	21	21	5012245000290	KB 660	BLISTER	6
220KA	2	@HOME	KA Small Old English Galvanised Steel 4 Lever	38	14.5	7	11	12	Special	KB 220	BOX	1
440KA	3	@HOME	KA Medium Old English Galvanised Steel 4 Lever	51	16.5	8	18	18	Special	KB 440	BOX	1
660KA	3	@HOME	KA Large Old English Galvanised Steel 4 Lever	64	19.7	10	21	21	Special	KB 660	BOX	1

Stronglock™ Range

39 Range

37 Range

35 Range

Stronglock™ Range

Steel Pin Tumbler

- Hardened steel shackle
- Double deadlocking, ball locking, spring locking
- Covered steel padlock body with anti-corrosion finish gives corrosion resistance
- 4 Pin tumbler lock mechanism gives over 1,000 key differs
- Medium duty security
- Available masterkeyed and keyed alike





Stronglock™ Pin Tumbler



Code	Security Rating	@	Description	Dimensions mm A	B	C	D	E	Barcode	Key Blank	Pack Type	Min Qty	MK
35	4	@HOME	40mm Laminated Double Locking Padlock 4 pin	38	23	7	17	16	5012245000795	KB 02	BLISTER	6	■
37	4	@HOME	45mm Laminated Double Locking Padlock 4 pin	44	24	8	20	20	5012245000856	KB 02	BLISTER	6	■
39	5	@HOME	50mm Laminated Double Locking Padlock 4 pin	51	29	9	24	24	5012245000917	KB 02	BLISTER	6	■
35KA	4	@HOME	40mm KA Laminated Double Locking Padlock 4 pin	38	23	7	17	16	Special	KB 02	BOX	1	
37KA	4	@HOME	45mm KA Laminated Double Locking Padlock 4 pin	44	24	8	20	20	Special	KB 02	BOX	1	
39KA	5	@HOME	50mm KA Laminated Double Locking Padlock 4 pin	51	29	9	24	24	Special	KB 02	BOX	1	
37CS	5	@HOME	45mm Closed Shackle Laminated Double Locking Padlock 4 pin	44	24	8	13	20	5012245003680	KB 02	BLISTER	3	■
39CS	6	@HOME	50mm Closed Shackle Laminated Double Locking Padlock 4 pin	51	29	9	19	16	5012245003697	KB 02	BLISTER	3	■
37CSKA	5	@HOME	45mm KA Closed Shackle Laminated Double Locking Padlock 4 pin	44	24	8	13	20	Special	KB 02	BOX	1	
39CSKA	6	@HOME	50mm KA Closed Shackle Laminated Double Locking Padlock 4 pin	51	29	9	19	16	Special	KB 02	BOX	1	
35/1.5	4	@HOME	40mm 1.5" Long Shackle Laminated Double Locking Padlock 4 pin	38	23	7	39	16	5012245000825	KB 02	BOX	6	■
35/2.5	4	@HOME	40mm 2.5" Long Shackle Laminated Double Locking Padlock 4 pin	38	23	7	64.8	16	5012245000832	KB 02	BLISTER	6	■
37/2.5	4	@HOME	45mm 2.5" Long Shackle Laminated Double Locking Padlock 4 pin	44	24	8	64.4	20	5012245000887	KB 02	BLISTER	6	■
39/1.5	5	@HOME	50mm 1.5" Long Shackle Laminated Double Locking Padlock 4 pin	51	29	9	39	24	5012245000931	KB 02	BLISTER	6	■
39/2.5	5	@HOME	50mm 2.5" Long Shackle Laminated Double Locking Padlock 4 pin	51	29	9	64.5	24	5012245000948	KB 02	BLISTER	6	■
35/1.5KA	4	@HOME	40mm KA 1.5" Long Shackle Laminated Double Locking Padlock 4 pin	38	23	7	39	16	Special	KB 02	BOX	1	
35/2.5KA	4	@HOME	40mm KA 2.5" Long Shackle Laminated Double Locking Padlock 4 pin	38	23	7	64.8	16	Special	KB 02	BOX	1	
37/2.5KA	4	@HOME	45mm KA 2.5" Long Shackle Laminated Double Locking Padlock 4 pin	44	24	8	64.4	20	Special	KB 02	BOX	1	
39/1.5KA	5	@HOME	50mm KA 1.5" Long Shackle Laminated Double Locking Padlock 4 pin	51	29	9	39	24	Special	KB 02	BOX	1	
39/2.5KA	5	@HOME	50mm KA 2.5" Long Shackle Laminated Double Locking Padlock 4 pin	51	29	9	64.5	24	Special	KB 02	BOX	1	
35T	4	@HOME	Twin pack Keyed Alike (2 x 35KA on one card)	38	23	7	17	16	5012245000818	KB 02	BLISTER	6	
35CLR	4	@HOME	Assorted Colours 40mm Laminated Double Locking Padlock 4 pin	38	23	7	17	16	Special	KB 02	BOX	1	■
35CLRKA	4	@HOME	KA Assorted Colours 40mm Laminated Double Locking Padlock 4 pin	38	23	7	17	16	Special	KB 02	BOX	1	
35C	4	@HOME	No 35 padlock with 305mm chain attached	38	23	7	17	16	5012245000849	KB 02	BOX	1	■
37C	4	@HOME	No 37 padlock with 305mm chain attached	44	24	8	20	20	5012245000900	KB 02	BOX	1	■
39C	5	@HOME	No 39 padlock with 305mm chain attached	51	29	9	24	24	5012245000962	KB 02	BOX	1	■
35CKA	4	@HOME	KA No. 35 padlock with 305mm chain attached	38	23	7	17	16	Special	KB 02	BOX	1	
37CKA	4	@HOME	KA No. 37 padlock with 305mm chain attached	44	24	8	20	20	Special	KB 02	BOX	1	
39CKA	5	@HOME	KA No. 39 padlock with 305mm chain attached	51	29	9	24	24	Special	KB 02	BOX	1	

MK Denotes Master Keyed

Stronglock™ Pinning Kits

New Laminated P4 Pinning Kit

Create keyed alike suites quickly and easily, eliminating many of the problems associated with pinning padlocks

- The padlock comes with the cylinder in place enabling you to pin through the pinning hole in the side of the padlock
- No problems inserting the cylinders, no need to worry about misaligned and badly fitting cylinders
- Inserting the pins is easy, using the pin loader tool to help guide you insert pins, drivers and springs
- Quick and easy to use
- No need to involve the lock manufacturer - do the job in-house to your customers timescale
- Makes providing keyed alike systems quick, easy and profitable for the locksmith

The pinning kit contents

100 pins x 5 types, 400 x pin drivers, 400 x springs, Key reader, Pin loader tool, Loading punch tool. Comes in attractive tidy box

Pinning Kits

Code	Security Rating	@	Description	Barcode	Pack Type	Min Qty
Stronghold 6 pin kit	N/A	@HOME	Pinning Kit for Stronghold padlocks & cylinders - 6 Pin - S1, R1	n/a	BOX	1
P5 Pinning Kit	N/A	@HOME	Pinning Kit for P5 Padlocks - 5 Pin	n/a	BOX	1
LAM/P4/PINKIT	N/A	@HOME	Pinning Kit for P4 Laminated pinnable padlocks	n/a	BOX	1

Keybolt™
Weatherproof Locking Bolt

- Steel lock body and bolt encased in a weatherproof cover
- Steel components
- 4 Lever lock mechanism
- Lever lock mechanism gives excellent reliability outdoors
- Can be used in or outdoors

Uses: Sheds, gates, cupboards, storage areas, cabinets, lockers, small vans, internal and external doors.

All weather

Rustproof

KEYBOLT

INTEGRATED

No.6H

SHH1

DHH1

Keybolt™ - Weatherproof Locking Bolt

Code	Security Rating	@	Description	Dimensions mm A	B	C	Barcode	Key Blank	Pack Type	Min Qty
KEYBOLT	N/A	@HOME	Weatherproof locking bolt - key operated	113	68	30	5012245031027	KB 220	BLISTER	6

Integrated Locking Hasp

Code	Security Rating	@	Description	Dimensions mm A	B	C	Barcode	Key Blank	Pack Type	Min Qty
LH1	4	@HOME	Locking Hasp & staple	152	44	23	5012245007794	KB LH1	BLISTER	6

Hasp and Staples

Code	Security Rating	@	Description	Dimensions mm A	B	C	Staple Clearance	Barcode	Pack Type	Min Qty
NO.6H	6	@HOME	Hardened Steel clam	152	44	23	12.5	5012245000511	BLISTER	6
SHH1	5	@HOME	Single hinge hasp & staple	160	45.8	32	12.7	5012245004465	BLISTER	6
DHH1	5	@HOME	Double hinge hasp & staple	200	45.8	32	12.7	5012245004458	BLISTER	6

Combi-Bolt® Range

Combi-Bolt®
Unique recodable locking bolt

- Die cast lock body
- Steel bolt
- Recodable CombiBolt 3 - 3 wheels for 1,000 combinations
- Recodable CombiBolt 4 - 4 wheels for 10,000 combinations
- Recodable CombiBolt 5 - 5 wheels for 100,000 combinations
- No Keys to Lose
- One handed operation
- Security screws included in pack
- High pick resistance
- Patented
- Replaces a padlock and hasp & staple

Uses
Sheds, cupboards, storage areas, cabinets, lockers

Combi-Bolt 5™

Combi-Bolt 4™

Combi-Bolt 3™

Combi-Bolt 3™

Code	Security Rating	@	Description	Dimensions mm A	B	C	Barcode	Number of Combinations	Pack Type	Min Qty
COMBI3	3	@HOME	92mm Combination Bolt blue die cast recodable	92	35	33	5012245031034	1,000	BLISTER	4
COMBI3 CH	3	@HOME	92mm Chrome finish Combination Bolt recodable	92	35	33	5012245031041	1,000	BLISTER	4

Combi-Bolt 4™

Code	Security Rating	@	Description	Dimensions mm A	B	C	Barcode	Number of Combinations	Pack Type	Min Qty
COMBI4	4	@HOME	120mm Combination Bolt blue die cast recodable	120	50	40	5012245009002	10,000	BLISTER	4
COMBI4 CH	4	@HOME	120mm Chrome finish Combination Bolt recodable	120	50	40	5012245020182	10,000	BLISTER	4

Combi-Bolt 5™

Code	Security Rating	@	Description	Dimensions mm A	B	C	Barcode	Number of Combinations	Pack Type	Min Qty
COMBI5	5	@WORK	150mm Combination Bolt blue die cast recodable	150	60	40	5012245035551	100,000	BLISTER	2

@LEISURE

@Leisure is for when you're out and about. Marine grade locks for boats and harsh weather conditions. The range also includes luggage and travel locks for when you're flying abroad, or for your trailer or caravan.

Product usage

- Out and about
- Recreational gear
- Suitcase
- Caravan / camping
- Bbq
- Sport locker
- Marine

Why choose @LEISURE

- Tough rust and weather-proofed
- Guaranteed 10 years
- Mostly combi
- Thief-proof, tested

Security rating

Basic 1-4

Squire @LEISURE brands

- CP Combination CP30
- CP Combination rustproof
- **Lion**
- Luggage and travel locks
- Lock and chain sets
- Cables

Lion Range

- Hardened steel shackle
- Double locking 30mm and above
- Solid brass lock body
- Pin tumbler lock mechanism

CP Range

- Double locking
- Fully recodable
- Die cast alloy body with dual compound cover
- CP40S and 50s - Stainless steel shackle - Rustproof
- CP40S and CP50S - 4 Wheels 10,000 combinations
- CP30 - hardened steel shackle
- CP30 - 3 Wheels 1000 combinations

LN2 LN3

CP50S CP40S

CP30

Lion Range



Code	Security Rating	@	Description	Dimensions mm A	B	C	D	E	Barcode	Key Blank or No of combinations	Pack Type	Min Qty
LN2	2	@LEISURE	25mm Premium Brass 4 pin	24.5	11.1	4	16.7	13.5	5012245002676	KB LN A SL	BLISTER	12
LN3	2	@LEISURE	30mm Premium Brass 4 pin Double Locking	31.5	13	5.5	19.5	16.5	5012245002683	KB LN C SL	BLISTER	12
LN2KA	2	@LEISURE	KA 25mm Premium Brass 4 pin	24.5	11.1	4	16.7	13.5	Special	KB LN A SL	BOX	12
LN3KA	2	@LEISURE	KA 30mm Premium Brass 4 pin Double Locking	31.5	13	5.5	19.5	16.5	Special	KB LN C SL	BOX	12

CP Range

CP30	2	@LEISURE	30mm Rustproof Combi Padlock - 3 wheel	30	16	4	15	13	501224503364	1,000	BLISTER	6
CP40S	3	@LEISURE	40mm Rustproof Combi Padlock - 4 wheel - St/St Shackle	40	22	6	20	17	5012245029642	10,000	BLISTER	6
CP50S	4	@LEISURE	50mm Rustproof Combi Padlock - 4 wheel - St/St Shackle	50	26	8	26	22.6	5012245029659	10,000	BLISTER	6

3936

3536

CP50/36

Lock and Chain Sets



Code	SECURITY RATING	@	Description	Link Diameter	Chain Length	Dimensions mm A	B	C	D	E	Barcode	Key Blank or No of combinations	Pack Type	Min Qty
3936	5	@LEISURE	39 lock with hardened square link chain (X3)	8	915	51	29	9	24	24	5012245003642	KB 02	BOX	6
3536	6	@LEISURE	35 lock with hardened steel chain	5	900	38	23	7	17	16	5012245001587	KB 02	BOX	6
CP50/36	7	@LEISURE	CP50 Combi with hardened square link chain (X3)	8	915	50	26	8	26	22.6	5012245027945	10000	BOX	6
3936 KA	6	@LEISURE	KA 39 lock with hardened square link chain (X3)	8	915	51	29	9	24	24	Special	KB 02	BOX	1
3536 KA	6	@LEISURE	KA 35 lock with hardened steel chain	5	900	38	23	7	17	16	Special	KB 02	BOX	1

3936 and 3536 Can be supplied master keyed upon request

Hasps and Staples

Hardened Grades 6

STH1 Padbar

- High security padbar with hardened hasp and staple
- Hardened special cast material - extremely strong
- Easy to fit
- Hardened rotating staple for extra resistance to attack

Grades 4

STH2 Padbar

- High security padbar with hardened staple
- Special cast material extremely strong
- Easy to fit
- Hardened rotating staple for extra resistance to attack

Hardened

LB2CS

- 6mm hardened steel
- Available right hand and left hand opening
- Can be used with open and closed shackle padlocks
- Black anti-corrosion finish
- Full padlock protection for extra security
- Heavy duty fixings
- Padlock sold separately

Hardened

LB1

- 6mm hardened steel
- Heavy duty 6mm thick construction
- Heavy duty fixings
- Black anti-corrosion finish
- Padlock sold separately

Hardened

No.8

- Hardened maxiclam
- Hardened steel construction with anti-corrosion finish
- Coach bolt fixings for added security
- Concealed fixings
- Can be used on single or double doors

Hardened

No.6H

- Hardened steel hasp and staple
- Hardened steel construction with anti-corrosion finish
- Coach bolt fixings for added security
- Concealed fixings
- Can be used on single or double doors

DHH1

- Double hinge flexible hasp and staple
- Steel construction
- Hardened steel staple
- Double hinge - can be used on single and double doors
- Black anti-corrosion finish

SHH1

- Single hinge flexible hasp and staple
- Steel construction
- Hardened steel staple
- Single hinge - can work on single and double doors
- Black anti-corrosion finish

DCH1

- Works with DCL1 padlock only Hardened steel staple
- Steel construction
- Concealed fixings

Stronghold® CEN Rated Padbars

Code	CEN	Security Rating	@	Description	Dimensions mm A	B	C	Staple Clearance	Barcode	Key Blank	Pack Type	Min Qty
STH1	6	10	@WORK	Hardened Stronghold Padbar - CEN 6	184	86	32	12.7	5012245007770	n/a	BOX	1
STH2	4	9	@WORK	Stronghold Padbar - CEN 4	184	86	32	12.7	5012245007787	n/a	BOX	1

Hasp and staples



Code	Security Rating	@	Description	Dimensions mm A	B	C	Staple Clearance	Barcode	Pack Type	Min Qty
NO.8	7	@WORK	Hardened Maxiclam	216	54.2	38	25	5012245003284	BLISTER	2
NO.6H	6	@HOME	Hardened Steel clam	152	44	23	12.5	5012245000511	BLISTER	6
SHH1	5	@HOME	Single hinge hasp & staple	160	45.8	32	12.7	5012245004465	BLISTER	6
DHH1	5	@HOME	Double hinge hasp & staple	200	45.8	32	12.7	5012245004458	BLISTER	6
DCH1	6	@WORK	Hasp & Staple (to suit DCL padlock)	118	56	34	9.5	5012245009484	BLISTER	6

Lock And Hasp Sets

Code	Security Rating	@	Description	Dimensions mm A	B	C	Padlock Dimensions A	B	C	D	E	Barcode	Key Blank	Pack Type	Min Qty
LH1	4	@HOME	Locking Hasp & staple	152	44	23						5012245007794	KB LH1	BLISTER	6
39/NO.6H	5	@HOME	Laminated Padlock 4 pin & hasp set	152	44	23	51	29	9	24	24	5012245009828	KB 02	BOX	1
DCL1/DCH1	6	@WORK	Disc style padlock with hasp & staple set	118	56	34	70	27.5	9.5	17.5	17	5012245009491	KB P5	BLISTER	6
39/NO.6H KA	5	@HOME	KA Laminated Padlock 4 pin & hasp set	152	44	23	51	29	9	24	24	Special	SLKB 02	BOX	1

Brackets

Note: Padlock sold separately

Code	Security Rating	@	Description	Dimensions mm A	B	C	Staple Clearance	Barcode	Pack Type	Min Qty
LB1	7	@WORK	Hardened steel brackets	105	30	48	14	5012245007237	BLISTER	2
LB2CS LH	8	@WORK	Left handed Shielded Hardened steel brackets	105	30	54	14	5012245007244	BLISTER	2
LB2CS RH	8	@WORK	Right handed Shielded Hardened steel brackets	105	30	54	14	5012245007220	BLISTER	2

Chain Range

The Squire Chains Ranges

TC Chain - 14mm | G Chain - 10mm | J Chain - 8mm | Y Chain - 10mm | X Chain - 8mm | CP Chain - 6.5mm | 5mm Chain

Stronghold® Range
High Security Hardened **Alloy** Steel
Includes
TC - Hardened 14mm, 16mm, 19mm **Sold Secure Gold Motorcycle**
G - Hardened 10mm **Sold Secure Gold Cycle**
J - Hardened 8mm **Sold Secure Silver Cycle**

Stronglock™ Range
Hardened Steel
Includes
Y - Hardened 10mm
X - Hardened 8mm

Toughlok™ Range
Hardened Steel
CP - Hardened 6.5mm
35 - Hardened 5mm

Supported by CRIMESTOPPERS™
Independent crime-fighting charity

Secured by Design
SBD
Police Preferred Specification

Sold Secure accreditations have been either attained or applied for at the time of print. Therefore they are subject to change during the lifetime of this price list.

SOLD SECURE 2017 GOLD
SOLD SECURE 2017 SILVER

High Security **Hardened Alloy Steel** Chains - Sold Secure Approved

new

Code	Security Rating	Sold Secure	Description	Dimensions mm Link Diameter	Dimensions mm Chain Length	Barcode	Pack Type	Min Qty
TC19/5	10	Motorcycle	TC Chain alloy steel hardened chain, black sleeve	19	1500	5012245035889	BOX	1
TC16/5	10	Motorcycle	TC Chain alloy steel hardened chain, black sleeve	16	1500	5012245035896	BOX	1
TC14/3	10	Motorcycle	TC Chain alloy steel hardened chain, black sleeve	14	915	5012245028089	BOX	1
TC14/4	10	Motorcycle	TC Chain alloy steel hardened chain, black sleeve	14	1200	5012245028096	BOX	1
TC14/6	10	Motorcycle	TC Chain alloy steel hardened chain, black sleeve	14	1800	5012245032635	BOX	1
G3	9	Bicycle	G Chain alloy steel hardened chain, black sleeve	10	915	5012245006537	BOX	1
G4	9	Bicycle	G Chain alloy steel hardened chain, black sleeve	10	1200	5012245003116	BOX	1
J3	8	Bicycle	J Chain alloy steel hardened chain, black sleeve	8	915	5012245008630	BOX	1
J4	8	Bicycle	J Chain alloy steel hardened chain, black sleeve	8	1200	5012245004366	BOX	1

TC19

TC16

TC14

G3

J4

Hardened Steel Chains

Y3	7		Y Chain hardened steel, grey sleeve	10	900	5012245026597	BOX	1
Y4	7		Y Chain hardened steel, grey sleeve	10	1200	5012245026603	BOX	1
Y6	7		Y Chain hardened steel, grey sleeve	10	1800	5012245032628	BOX	1
X3	6		X Chain hardened steel, grey sleeve	8	900	5012245026573	BOX	1
X4	6		X Chain hardened steel, grey sleeve	8	1200	5012245026580	BOX	1
CP36PR	5		CP Chain hardened steel chain, grey sleeve	6.5	900	5012245003345	BOX	1
CP48PR	5		CP Chain hardened steel chain, grey sleeve	6.5	1200	5012245003352	BOX	1
3536C	4		Chain hardened steel, grey sleeve	5	900	5012245027655	BOX	1
3548C	4		Chain hardened steel, grey sleeve	5	1200	5012245027648	BOX	1

Y3

X3

CP36PR

3536C

SOLD SECURE

GOLD
SILVER
BRONZE

Lock and Chain Sets

SS65CS/TC14 | SS50CS/TC14 | DCL1/J3 | SS50Combi/G3 | SS50S/G3 | 3536 | CP50/36

Lock and Chain Sets

Squire lock and chain sets have been designed to combine chains with padlocks of a similar security level. There are sets to cover all aspects of securing valuable items around the house and garden. The range includes extremely high security Sold Secure Gold locks for securing expensive bicycles when they are at their most vulnerable. The range is designed to secure all levels of risk encountered in home security, including the tethering of valuable BBQ, garden equipment and patio furniture.

Locks and chains for Motorcycles

Squire offers some excellent high security chains and lock and chain sets ideal for securing motorcycles and scooters.

SS65CS/TC14 - **Sold Secure Gold Motorcycle**
SS50CS/G4 - **Sold Secure Gold Cycle**
DCL1/J3 - **Sold Secure Silver Cycle**
MAKO CN8/900 - **Sold Secure Silver Cycle**
Mako Conger - **Sold Secure Bronze Cycle**

These products combined with Squire's high security ground anchors and garage security products provide motorcycle and scooter owners with a comprehensive range of security solutions.

Sold Secure accreditations have been either attained or applied for at the time of print. Therefore they are subject to change during the lifetime of this price list.

Supported by CRIMESTOPPERS™
Independent crime-fighting charity

Secured by Design
Police Preferred Specification

High Security **Hardened Alloy Steel** Chains - **Sold Secure Approved** - Lock And Chain Sets



SS65CS/TC14

SS50CS/TC14

DCL1/J3

SS50S/G3

SS50COMBI/G3I

3936

3536

CP50/36

Code	Security Rating	Sold Secure	@	Description	Link Diameter	Chain Length	Dimensions mm A	B	C	D	E	Barcode	Key Blank	Pack Type	Min Qty	MK
SS65CS/TC14/3	10	Motorcycle	URBAN	SS65CS padlock with hardened alloy chain	14	915	65	31.8	12.7	19	19	5012245029215	CYKEY/S1/BL	BOX	1	■
SS65CS/TC14/4	10	Motorcycle	URBAN	SS65CS padlock with hardened alloy chain	14	1200	65	31.8	12.7	19	19	5012245022346	CYKEY/S1/BL	BOX	1	■
SS50CS/TC14/3	10	Motorcycle	URBAN	SS50CS padlock with hardened alloy chain	14	915	50	26	10	16	16	5012245029222	CYKEY/S1/BL	BOX	1	■
SS50CS/TC14/4	10	Motorcycle	URBAN	SS50CS padlock with hardened alloy chain	14	1200	50	26	10	16	16	5012245029239	CYKEY/S1/BL	BOX	1	■
SS50CS/G4	9	Bicycle	URBAN	SS50CS padlock with hardened alloy chain	10	1200	50	26	10	16	16	5012245004045	CYKEY/S1/BL	BOX	1	■
DCL1/J3	9	Bicycle	URBAN	DCL1 Padlock with hardened alloy steel chain	8	915	70	27.5	9.5	17.5	17	5012245020106	KB LN C SL	BOX	6	
SS65CS/TC14/3KA	10	Motorcycle	URBAN	KA SS65CS padlock with hardened alloy chain	14	915	65	31.8	12.7	19	19	Special	CYKEY/S1/BL	BOX	1	
SS65CS/TC14/4KA	10	Motorcycle	URBAN	KA SS65CS padlock with hardened alloy chain	14	1200	65	31.8	12.7	19	19	Special	CYKEY/S1/BL	BOX	1	
SS50CS/TC14/3KA	10	Motorcycle	URBAN	KA SS50CS padlock with hardened alloy chain	14	915	50	26	10	16	16	Special	CYKEY/S1/BL	BOX	1	
SS50CS/TC14/4KA	10	Motorcycle	URBAN	KA SS50CS padlock with hardened alloy chain	14	1200	50	26	10	16	16	Special	CYKEY/S1/BL	BOX	1	
SS50CS/G4 KA	9	Bicycle	URBAN	KA SS50CS padlock with hardened alloy chain	10	1200	50	26	10	16	16	Special	CYKEY/S1/BL	BOX	1	

High Security **Hardened Alloy Steel** Chains - Lock And Chain Sets

SS50S/G3	10	URBAN	SS50S Padlock with hardened alloy chain	10	915	50	26	10	26	22	5012245003536	CYKEY/S1/BL	BOX	1	■
SS50COMBI/G3	10	URBAN	SS50Combi Padlock with hardened alloy chain	10	915	55	30	10	24	22	5012245035872	100,000	BOX	1	
SS50S/G3 KA	10	URBAN	KA SS50S Padlock with hardened alloy chain	10	915	50	26	10	26	22	Special	CYKEY/S1/BL	BOX	1	

Hardened Steel Chain Lock And Chain Sets

3936	5	LEISURE	39 lock with hardened square link chain (X3)	8	915	51	29	9	24	24	5012245003642	KB 02	BOX	6	■
3536	6	LEISURE	35 lock with hardened steel chain	5	900	38	23	7	17	16	5012245001587	KB 02	BOX	6	■
CP50/36	7	LEISURE	CP50 Combi with hardened square link chain (X3)	8	915	50	26	8	26	22.6	5012245027945	10000	BOX	6	
3936 KA	6	LEISURE	KA 39 lock with hardened square link chain (X3)	8	915	51	29	9	24	24	Special	KB 02	BOX	1	
3536 KA	6	LEISURE	KA 35 lock with hardened steel chain	5	900	38	23	7	17	16	Special	KB 02	BOX	1	

SOLD SECURE

GOLD
SILVER
BRONZE

Sold Secure accreditations have been either attained or applied for at the time of print. Therefore they are subject to change during the lifetime of this catalogue

MK Denotes Masterkeyed available

Garage Security

Garage Guard™

- For securing 'up and over' garage doors with T handles locks
- Prevents opening the garage door by forcing the 'T' Handle
- Easy to fit, lightweight and easy to use
- Fits the majority of 'T' Handles
- Visible deterrent

GA4 Garage Security

- Unit locks onto a solid steel base with padlock
- Fitting for concrete base as standard
- Simple ground fitting in front of garage door with expandable security raw bolts included
- Attractive Black powder coated finish
- Heavy construction
- Full fitting instructions included

GA4

GARAGEGUARD1

Garage security

Code	Security Rating	@	Sold Secure	Description	Dimensions mm Length	Height	Bar Diameter	Barcode	Pack Type	Min Qty
GA4	10	@HOME	Domestic	GA4 Garage Door Guard	250	150	55	5012245000986	BOX	1
					Diameter	**Depth**				
GarageGuard1	N/A	@HOME		Garage T handle lock	135	90		5012245028768	BLISTER	1

SOLD SECURE

GOLD
SILVER
BRONZE

GA1
Ground Anchor

- Designed to be fixed into the floor
- Hardened steel
- Sold Secure Gold approved Motorcycle Gold
- Use with heavy duty sold secure gold approved SQUIRE locks and chains

BPGA
Ground Anchor

- Sold Secure Gold approved
- Single bridge anchor
- Fully case hardened product to RC 60 spec. Solid construction
- Supplied with four security fixing bolts, steel ball inserts
- Fits chains up to 19mm
- Blue powder coated finish

LBA1
Wall Anchor

- Heavy duty wall anchor
- Designed to be fixed to the wall or floor
- Hardened steel
- Use with heavy duty SQUIRE locks
- Powder coated
- Easy to fit
- Supplied with security fixings

BWA2
Wall anchor

- Secures bicycle internally and externally
- Hardened steel
- Powder coated
- Easy to fit
- Supplied with security fittings
- Can be used on wooden or brick walls

BWA1
Wall anchor

- Secures bicycle internally and externally
- Hardened steel
- Easy to fit
- Powder coated
- Supplied with security fittings
- Can be used on wooden or brick walls

Code	Sold Secure	Security Rating	@	Suitable for motorcycles	Description	Dimensions mm Width	Height	Length	Clearance	Barcode	Pack Type	Min Qty
GA1	Motorcycle	10	URBAN	Yes	Ground anchor (Concrete in version)	100	95	100	50	5012245004076	BOX	1
BPGA	Motorcycle	10	URBAN	Yes	Ground anchor (Bolt in version) Boxed	150	67	150	50x110	5012245009507	BOX	1
LBA1		8	LEISURE		Heavy duty wall anchor	150	46	80	35x80	5012245022360	BLISTER	1
BWA1		5	LEISURE		Wall Anchor	62	44	62	15x19	5012245020137	BLISTER	6
BWA2		6	LEISURE		Wall Anchor - Bridge style	120	48	43	45x60	5012245009019	BLISTER	6

SOLD SECURE

GOLD
SILVER
BRONZE

Sold Secure accreditations have been either attained or applied for at the time of print. Therefore they are subject to change during the lifetime of this catalogue

bikelok®

Toughness guaranteed.

Introducing Squire

Squire is a family brand with great history which has been carried down through eight generations. Over this time, the one thing that's kept us going is our ability to change with the world. It's with this in mind we're proud to introduce the new Squire brand.

Our approach

This isn't an endeavour that we took on lightly – we took all the help we could. It started by looking at ourselves and asking everyone's opinion in the business - we wanted honest thoughts, no matter how harsh! We visited our stockists stores to look at ourselves and understand how we stack up against the competition and we also worked alongside consumers to develop our new direction. Some of the feedback from consumers suggested that they didn't just want a bike lock from a padlock manufacturer. They wanted something from a real specialist; someone who solely focuses on bike locks.
With this in mind, we've moved forward to create a specialist division: Squire Bikelok.

This isn't a new coat of paint. We've looked at our products, philosophy and ways of working, looking for a positive change and areas of improvement.

We've also taken some of our thinking across from the other side of our business. We found that security ratings didn't make selecting products any easier, as every lock manufacturer had their own scale. So we've found a new consumer friendly approach to product navigation - we reduced the range and split it into three distinct sub-brands: Squire Leisure, Urban and Sport Bikelok. We didn't stop there though; we wanted to understand what we stood for and what made us different.

We're a family business that began in the 1780s. We're proud of our craft and stand firmly behind our reputation for long-lasting toughness which is guaranteed. This is why I'm offering a personal 'no-quibble' 10 year guarantee on every product - you don't even need a receipt. The information overleaf will explain the changes to our products, and I hope that you agree it's a change for the better!

John Squire

CEO - 8th Generation

SQUIRE

Lockmakers Since 1780

bikelok®

We've found a new consumer friendly approach to product navigation - we reduced the range and split it into three distinct sub-brands: Sport BikeLok, Urban BikeLok and Leisure BikeLok.

SQUIRE

Lockmakers Since 1780

sportbikelok®

Sport BikeLok is a small range of our most specialist locks for the real enthusiast. Our range topping SnapLok is a lock that's both lightweight and secure. The perfect match for a lightweight sports bike.

SQUIRE

Lockmakers Since 1780

urbanbikelok®

Urban BikeLok is aimed at the commuter. The range includes a wide selection of tough utility D-locks and cable locks.

SQUIRE

Lockmakers Since 1780

leisurebikelok®

Leisure BikeLok is targeted mainly at family and kids bikes. It includes larger cable locks to secure multiple bikes at once, and there's a great colour choice.

New Packaging

Our new packaging is designed to help the customer choose their cycle lock quickly, and easily identify key features. Customers are guided by the colour coded usage categories. And they can see product strength ratings (1 = low,10 = high), and special features and accreditations at a glance.

Which category to choose

sport

LIFESTYLE
OCCASION USAGE
at home garage use, high end sport club racers, portable
SECURITY RATING
maximum 7-10

urban

LIFESTYLE
OCCASION USAGE
urban city use, heavy use, commuters
SECURITY RATING
high 5-7
maximum 7-10

leisure

LIFESTYLE
OCCASION USAGE
weekend leisure use, families
SECURITY RATING
basic 2-4
high 5-7

Quality and standards

SOLD SECURE Attack Testing

Many of the products showcased in our brochure have achieved Sold Secure status, most achieving silver or gold. This is a testament to Squire's rigorous test procedures. Importantly, customers can be assured that all locks are tested to the most stringent levels, via Squire's in-house test procedures and external accreditation bodies such as Sold Secure.

Crimestoppers

Some of the Squire cycle lock range is supported by Crimestoppers, the independent crime-fighting charity as part of their mission to help prevent crime, thereby reducing the number of victims and making communities safer.

Secured By Design

Secured By Design is a project initiated by the British Police force now run by the Mayor's Office for Policing and Crime (MOPAC) on behalf of the UK police services. Established in 1999, it was set up as a not-for-profit organisation. SBD works with industry and test houses to create high level security standards. Many Squire cycle locks are approved by SBD.

SOLD SECURE 2017 APPROVED

Supported by CRIMESTOPPERS™
Independent crime-fighting charity

Secured by Design
SBD
Police Preferred Specification

Introduction

sportbikelok®

Sport BikeLok is a small range of our most specialist locks for the real enthusiast. Our range trailblazing SnapLok™ is a lock that's both lightweight and secure. The perfect match for a lightweight sports bike.

10 Year Guarantee

SnapLok™

- Lighter in weight than any equivalent Sold Secure Silver 'D' Lock
- Recommended for securing bicycles and scooters
- Patented TORQ DRIV technology
- Hardened boron alloy steel construction
- Recodable 100,000 combinations
- Bracket included
- Recoding and fitting instructions included
- Lock dimensions at longest point 260mm (SNAPLOK260) 210mm (SNAPLOK210)

SOLD SECURE 2017 BICYCLE SILVER

Made in Britain

Secured by Design SBD Police Preferred Specification

Supported by CRIMESTOPPERS Independent crime-fighting charity

RETRAC 2

- Retractable cable lock
- Light weight, easy to carry and use
- 3 wheel combination - recodable
- 600mm length
- Soft feel cover

SNAPLOK 260 SNAPLOK 210

SnapLok™
Sold Secure Silver Combination Shackle Lock



Code	SOLD SECURE	Security Rating	RANGE	Description	Dimensions mm A	B	C	D	E	Barcode	Number of Combinations	Pack Type
SNAPLOK 260	Bicycle	9	SPORT	Unique recodable combination shackle lock 260mm	130	295	15	260	104	5012245026030	100,000	BOX
SNAPLOK 210	Bicycle	9	SPORT	Unique recodable combination shackle lock 210mm	130	245	15	210	104	5012245026023	100,000	BOX

RETRAC 2 BLUE

Retrac™
Retractable Cable Lock

Code	SOLD SECURE	Security Rating	RANGE	Description	Dimensions mm A	B	C	Barcode	Number of Combinations	Pack Type
RETRAC 2		2	SPORT	Retractable cable lock - 600mm long	50	16	2	5012245031256	1,000	BLISTER

SOLD SECURE

GOLD
SILVER
BRONZE

'D' Locks

Hammerhead™ Key

- Hardened alloy steel shackle - 13mm
- Armoured steel lock body
- 5 Pin tumbler, anti pick locking mechanism 1500 Key differs
- Unique double locking mechanism
- Keyhole dustcover
- Two keys provided
- Hammerhead 290 has 290mm shackle clearance
- Hammerhead 230 has 230mm shackle clearance
- Carrying bracket included
- Octagonal sleeve on shackle

Hammerhead™ Combi

- Recodable six wheel combination
- One million possible combinations
- Hardened alloy steel shackle - 13mm
- Armoured steel lock body
- Hammerhead Combi 290 has 290mm shackle clearance
- Hammerhead Combi 230 has 230mm shackle clearance
- Carrying bracket included
- Octagonal sleeve on shackle
- Patented TORQ DRIV™ technology

Eiger™

- Hardened alloy steel shackle - 13mm
- Armoured steel lock body
- Disc tumbler locking mechanism
- Unique double locking mechanism
- Key hole dustcover
- Two keys provided
- Eiger™shackle clearance 230mm
- Eiger™ Compact shackle clearance 145mm
- Eiger™ Mini shackle clearance 80mm
- Carrying bracket included
- Octagonal sleeve on shackle

Reef™

- Hardened alloy steel shackle - 13mm
- Armoured steel lock body
- Disc tumbler locking mechanism
- Unique double locking mechanism
- Key hole dustcover
- Two keys provided
- Reef™ shackle clearance 230mm
- Carrying bracket included
- Octagonal sleeve on shackle

Supported by CRIMESTOPPERS™
Independent crime-fighting charity

Secured by Design
SBD
Police Preferred Specification



Hammerhead™

Hammerhead™ key - Sold Secure Gold 'D' Lock

Code	SOLD SECURE	Security Rating	Range	Description	Dimensions mm A	B	C	D	E	Barcode	Key Blank	Pack Type
Hammerhead 290	Bicycle	10	URBAN	Hammerhead 290 D Lock - Gold Sold Secure	150	50	15.6	290	100	5012245029109	KB LN C SL	BOX
Hammerhead 230	Bicycle	10	URBAN	Hammerhead 230 D Lock - Gold Sold Secure	150	50	15.6	230	100	5012245029093	KB LN C SL	BOX
Hammerhead 230/10C*	Bicycle	10	URBAN	Hammerhead 230 with a 10mm x 1800mm Cable	150	50	15.6	230	100	5012245029499	KB LN C SL	BOX

* SOLD SECURE approval applies to D lock only

Hammerhead™ combi - Sold Secure Silver 'D' Lock

Code	SOLD SECURE	Security Rating	Range	Description	Dimensions mm A	B	C	D	E	Barcode	Number of Combinations	Pack Type
Hammerhead Combi 290	Bicycle	9	URBAN	Hammerhead patented combination D lock 290mm	145	38	15.6	290	105	5012245030204	100,000	BOX
Hammerhead Combi 230	Bicycle	9	URBAN	Hammerhead patented combination D lock 230mm	145	38	15.6	230	105	5012245030198	100,000	BOX

Eiger™

Eiger™ 230 - Sold Secure Gold 'D' Lock

Code	SOLD SECURE	Security Rating	Range	Description	Dimensions mm A	B	C	D	E	Barcode	Key Blank	Pack Type
Eiger Blue	Bicycle	10	URBAN	Eiger D Lock - Gold Sold Secure - Blue, 230mm Shackle	175	44	15.6	230	105	5012245030266	n/a	BOX
Eiger Green	Bicycle	10	URBAN	Eiger D Lock - Gold Sold Secure - Green, 230mm Shackle	175	44	15.6	230	105	5012245030259	n/a	BOX
Eiger Red	Bicycle	10	URBAN	Eiger D Lock - Gold Sold Secure - Red, 230mm Shackle	175	44	15.6	230	105	5012245030235	n/a	BOX
Eiger Yellow	Bicycle	10	URBAN	Eiger D Lock - Gold Sold Secure - Yellow, 230mm Shackle	175	44	15.6	230	105	5012245030242	n/a	BOX

Eiger™ Compact - Sold Secure Gold 'D' Lock

Eiger Compact Blue	Bicycle	10	URBAN	Eiger compact D lock - Gold Sold Secure - Blue	150	35	15.6	145	83	5012245030303	n/a	BOX
Eiger Compact Green	Bicycle	10	URBAN	Eiger compact D lock - Gold Sold Secure - Green	150	35	15.6	145	83	5012245030297	n/a	BOX
Eiger Compact Red	Bicycle	10	URBAN	Eiger compact D lock - Gold Sold Secure - Red	150	35	15.6	145	83	5012245030273	n/a	BOX
Eiger Compact yellow	Bicycle	10	URBAN	Eiger compact D lock - Gold Sold Secure - Yellow	150	35	15.6	145	83	5012245030280	n/a	BOX

SOLD SECURE

GOLD
SILVER
BRONZE

Eiger Mini BLUE

Eiger Mini GREEN

Eiger Mini RED

Eiger Mini YELLOW

Reef 290

Reef 230

REEF 10C

GA1

BPGA

Eiger Mini™ - Sold Secure Gold Brake Disc Lock



Code	Sold Secure	Security Rating	Range	Description	Dimensions mm A	B	C	D	E	F	Barcode	Key Blank	Pack Type
Eiger Mini Blue	Motorcycle	10	URBAN	Gold Sold Secure Brake Disc Lock Blue	100	38	15.6	80	48	135	5012245030723	n/a	BOX
Eiger Mini Green	Motorcycle	10	URBAN	Gold Sold Secure Brake Disc Lock Green	100	38	15.6	80	48	135	5012245030730	n/a	BOX
Eiger Mini Red	Motorcycle	10	URBAN	Gold Sold Secure Brake Disc Lock Red	100	38	15.6	80	48	135	5012245030716	n/a	BOX
Eiger Mini yellow	Motorcycle	10	URBAN	Gold Sold Secure Brake Disc Lock Yellow	100	38	15.6	80	48	135	5012245030747	n/a	BOX

Reef™

Reef 290	Bicycle	9	URBAN	Reef 290 D Lock - Silver Sold Secure	175	44	15.6	290	105		5012245029123	n/a	BOX
Reef 230	Bicycle	9	URBAN	Reef 230 D Lock - Silver Sold Secure	175	44	15.6	230	105		5012245029116	n/a	BOX
Reef 230/10C*	Bicycle	9	URBAN	Reef 230 with a 10mm x 1800mm Cable	175	44	15.6	230	105		5012245029482	n/a	BOX

* SOLD SECURE approval applies to D lock only

Ground Anchors

Code	Suitable for motorcycles	Sold Secure	Range	Description	Dimensions mm Width	Height	Length	Clearance	Barcode	Pack Type
GA1	Yes	Motorcycle	URBAN	Ground anchor (Concrete in version)	100	95	100	50	5012245004076	BOX
BPGA	Yes	Motorcycle	URBAN	Ground anchor (Bolt in version) Boxed	150	67	150	50x110	5012245009507	BOX

SOLD SECURE

GOLD
SILVER
BRONZE

Sold Secure accreditations have been either attained or applied for at the time of print. Therefore they are subject to change during the lifetime of this catalogue.

Mako™ Combi Cable Lock

- Hardened steel cups
- Recodable 5 wheel combination - 100,000 combinations
- Patented TORQ DRIVTM technology
- 25mm diameter
- 1200mm length
- Armoured steel lock body
- Includes universal carrying bracket

Mako™ Cable Lock

- Hardened steel cups
- 5 Pin tumbler lock mechanism
- Two keys provided
- 25mm diameter
- 1200mm length
- Armoured steel lock body
- Includes universal carrying bracket

Mako™ Combi Integrated Lock and Chain

- Integrated Chainlock
- Recodable 5 wheel combination
- 100,000 combinations
- Patented TORQ DRIVTM technology
- Hardened alloy steel chain 8mm diameter
- Available in two lengths 900mm and 600mm
- Armoured steel lock body

Mako™ Integrated Lock and Chain

- Hardened steel lock body
- 8mm diameter chain
- Available in two lengths 900mm and 600mm
- 5 Pin tumbler lock mechanism
- Two keys provided
- Integrated lock and chain
- Hardened alloy steel chain

Supported by CRIMESTOPPERS™
Independent crime-fighting charity

Secured by Design
Police Preferred Specification

SOLD SECURE
GOLD
SILVER
BRONZE

Mako Combi ™

Code	Sold Secure	Security Rating	Range	Description	Diameter mm	Length mm	Barcode	No of Combinations	Pack Type
MAKO Combi CN8/900	Bicycle	9	URBAN	MAKO 8mm chain with integrated combination lock, length 900mm	8	900	5012245030174	100,000	BOX
MAKO Combi CN8/600	Bicycle	9	URBAN	MAKO 8mm chain with integrated combination lock, length 600mm	8	600	5012245030693	100,000	BOX
MAKO Combi AD25/1200	Bicycle	9	URBAN	MAKO 25mm Armoured Combination Cable lock & bracket, length 1200mm	25	1200	5012245030181	100,000	BOX

Mako Key ™

Code	Sold Secure	Security Rating	Range	Description	Diameter mm	Length mm	Barcode	Key Blank	Pack Type
MAKO CN8/900	Bicycle	9	URBAN	Mako 8mm Integrated chain lock, length 900mm	8	900	5012245025859	KB LN C SL	BOX
MAKO CN8/600	Bicycle	9	URBAN	Mako 8mm Integrated chain lock, length 600mm	8	600	5012245030686	KB LN C SL	BOX
MAKO AD25/1200	Bicycle	7	URBAN	MAKO 25mm Armoured Cable lock & bkt, length 1200mm	25	1200	5012245030655	KB LN C SL	BOX

Sold Secure accreditations have been either attained or applied for at the time of print.
Therefore they are subject to change during the lifetime of this catalogue.

Lock and Chain Sets

SS65CS/TC14

SS50CS/TC14

DCL1/J3

SS50Combi/G3

SS50S/G3

Lock and Chain Sets

Squire lock and chain sets have been designed to combine chains with padlocks of a similar security level. There are sets to cover all aspects of securing valuable items around the house and garden. The range includes extremely high security Sold Secure Gold locks for securing expensive bicycles when they are at their most vulnerable. The range is designed to secure all levels of risk encountered in home security, including the tethering of valuable BBQ, Garden equipment and patio furniture.

Locks and Chains for Motorcycles

A high performance, high security range of integrated lock and chain sets, ideal for securing motorcycles and scooters.

SS65CS/TC14 - **Sold Secure Gold Motorcycle**
SS50CS/G4 - **Sold Secure Gold Cycle**
DCL1/J3 - **Sold Secure Silver Cycle**
MAKO CN8/900 - **Sold Secure Silver Cycle**
Mako Conger - **Sold Secure Bronze Cycle**

These products combine with Squire's high security ground anchors and garage security products to provide motorcycle and scooter owners with a comprehensive range of security solutions.

SOLD SECURE 2017 GOLD
SOLD SECURE 2017 SILVER

Sold Secure accreditations have been either attained or applied for at the time of print. Therefore they are subject to change during the lifetime of this catalogue.

Supported by CRIMESTOPPERS™
Independent crime-fighting charity

Secured by Design
SBD
Police Preferred Specification

High Security **Hardened Alloy Steel** Chains
Sold Secure Approved

SS65CS/TC14/4

SS50CS/TC14/4

DCL1/J3

Code	Security Rating	Sold Secure	Range	Description	Link Diameter	Chain Length	Dimensions mm A	B	C	D	E	Barcode	Key Blank	Pack Type	MK
SS65CS/TC14/3	10	Motorcycle	URBAN	SS65CS padlock with hardened alloy chain	14	915	65	31.8	12.7	19	19	5012245029215	CYKEY/S1/BL	BOX	■
SS65CS/TC14/4	10	Motorcycle	URBAN	SS65CS padlock with hardened alloy chain	14	1200	65	31.8	12.7	19	19	5012245022346	CYKEY/S1/BL	BOX	■
SS50CS/TC14/3	10	Motorcycle	URBAN	SS50CS padlock with hardened alloy chain	14	915	50	26	10	16	16	5012245029222	CYKEY/S1/BL	BOX	■
SS50CS/TC14/4	10	Motorcycle	URBAN	SS50CS padlock with hardened alloy chain	14	1200	50	26	10	16	16	5012245029239	CYKEY/S1/BL	BOX	■
SS50CS/G4	9	Bicycle	URBAN	SS50CS padlock with hardened alloy chain	10	1200	50	26	10	16	16	5012245004045	CYKEY/S1/BL	BOX	■
DCL1/J3	9	Bicycle	URBAN	DCL1 Padlock with hardened alloy steel chain	8	915	70	27.5	9.5	17.5	17	5012245020106	KB LN C SL	BOX	
SS65CS/TC14/3KA	10	Motorcycle	URBAN	KA SS65CS padlock with hardened alloy chain	14	915	65	31.8	12.7	19	19	Special	CYKEY/S1/BL	BOX	
SS65CS/TC14/4KA	10	Motorcycle	URBAN	KA SS65CS padlock with hardened alloy chain	14	1200	65	31.8	12.7	19	19	Special	CYKEY/S1/BL	BOX	
SS50CS/TC14/3KA	10	Motorcycle	URBAN	KA SS50CS padlock with hardened alloy chain	14	915	50	26	10	16	16	Special	CYKEY/S1/BL	BOX	
SS50CS/TC14/4KA	10	Motorcycle	URBAN	KA SS50CS padlock with hardened alloy chain	14	1200	50	26	10	16	16	Special	CYKEY/S1/BL	BOX	
SS50CS/G4 KA	9	Bicycle	URBAN	KA SS50CS padlock with hardened alloy chain	10	1200	50	26	10	16	16	Special	CYKEY/S1/BL	BOX	

MK denotes Masterkeyed available

High Security **Hardened Alloy Steel** Chains
Lock and Chain Sets

SS50S/G3

SS50Combi/G3

SS50S/G3	10	n/a	URBAN	SS50S Padlock with hardened alloy chain	10	915	50	26	10	26	22	5012245003536	CYKEY/S1/BL	BOX	■
SS50COMBI/G3	10	n/a	URBAN	SS50Combi Padlock with hardened alloy chain	10	915	50	30	10	22	22	5012245035872	N/A	BOX	
SS50S/G3 KA	10	n/a	URBAN	KA SS50S Padlock with hardened alloy chain	10	915	50	26	10	26	22	Special	CYKEY/S1/BL	BOX	

MK denotes Masterkeyed available

SOLD SECURE

GOLD
SILVER
BRONZE

Cable Locks

SOLD SECURE 2017 BRONZE BICYCLE

PATENTED

Mako Combi™ Combination Cable Lock

- Recodable 5 wheel combination
- 100,000 combinations
- Patented TORQ DRIV™ technology
- Available as a 25mm diameter version 1200mm in length and an 18mm version which is 1800mm in length
- Armoured steel lock body
- Carrying bracket included
- Octagonal cable design

SOLD SECURE 2017 BRONZE BICYCLE

Mako Key™ Key Operated Cable Lock

- Hardened steel lock body
- Available as a 25mm diameter version 1200mm in length and an 18mm version which is 1800mm in length
- 5 Pin tumbler lock mechanism
- Two keys provided
- Octagonal cable design
- Includes universal carrying bracket

Secured by Design

SBD

Police Preferred Specification

Supported by CRIMESTOPPERS™

Independent crime-fighting charity

ZENITH WITH LED LIGHT FOR USE IN DARK PLACES

Combination Cable Locks **Zenith**™ Combi

- 12mm and 18mm diameter versions
- 1800mm length
- 10,000 combinations - recodable
- Light included for use in dark places
- Octagonal cable
- Bracket included

212 and 216

- 10,000 combinations
- 10mm diameter
- 212 is 600mm length
- 216 is 1800mm in length
- Octagonal cable
- Recodable

Key Operated Cable Locks **Zenith**™ Key

- 14mm and 12mm diameter versions
- 1800mm length
- Pin tumbler key mechanism
- Two keys provided
- Octagonal cable
- Bracket included

116 and112

- 10mm diameter
- 116 is 1800mm long and 112 is 600mm long
- Multi-strand cable
- Two keys provided
- Octagonal cable
- Bracket included

Combination Cable Locks

Mako™ Combi

Code	SOLD SECURE	Security Rating	Range	Description	Diameter mm	Length mm	Barcode	No of Combinations	Pack Type
MAKOCOMBI18/900	Bicycle	7	LEISURE	MAKO 18mm Combination Cable lock, length 900mm	18	900	5012245030143	100,000	BOX
MAKOCOMBI18/1800	Bicycle	7	LEISURE	MAKO 18mm Combination Cable lock, length 1800mm	18	1800	5012245030150	100,000	BOX
MAKOCOMBI25/1200	Bicycle	7	LEISURE	MAKO 25mm Armoured Combination Cable lock length 1200mm	25	1200	5012245030662	100,000	BOX

MAKOCOMBI18/900

MAKOCOMBI18/1800

MAKOCOMBIAD25/1200

Zenith™ Combi

ZRCOMBI 18/1800/LED		6	LEISURE	LED 18mm Combi Lock, length 1800mm	18	1800	5012245025927	10,000	BOX
ZRCOMBI 12/1800/LED		4	LEISURE	LED 12mm Combi Lock, length 1800mm	12	1800	5012245025910	10,000	BOX

ZRCOMBI 18/1800/LED ZRCOMBI 12/1800/LED

216 and 212 combination cable locks

216		3	LEISURE	Recodable Combi cable lock 10mm x 1800mm	10	1800	5012245007046	10,000	BOX
212		3	LEISURE	Recodable Combi cable lock 10mm x 600mm	10	600	5012245007039	10,000	BOX

216 212

Key Operated Cable Locks

Mako™

Code	SOLD SECURE	Security Rating	Range	Description	Diameter mm	Length mm	Barcode	Key Blank	Pack Type
MAKO PLUS 25/1200	Bicycle	7	LEISURE	Mako 25mm Cable lock & bracket length 1200mm	25	1200	5012245025897	KB LN C SL	BOX
MAKO PLUS 18/1800	Bicycle	7	LEISURE	Mako 18mm Cable lock & bracket, length 1800mm	18	1800	5012245025880	KB LN C SL	BOX
MAKO PLUS 18/900	Bicycle	7	LEISURE	Mako 18mm Cable lock & bracket, length 900mm	18	900	5012245025873	KB LN C SL	BOX

MAKO PLUS 25/1200

MAKO PLUS 18/1800

MAKO PLUS 18/900

Zenith™

ZR12/1800		4	LEISURE	Zenith Key operated cable lock 12mm x 1800mm	12	1800	5012245007701	KB ZR12	BOX
ZR14/1800		5	LEISURE	Zenith Key operated cable lock 14mm x 1800mm	14	1800	5012245033908	n/a	BOX

ZR12/1800 ZR14/1800

116 and 112 cable locks

116		3	LEISURE	Key operated cable lock 10mm x 1800mm	10	1800	5012245007190	n/a	BOX
112		3	LEISURE	Key operated cable lock 10mm x 600mm	10	600	5012245007183	n/a	BOX

116 112

SOLD SECURE

GOLD
SILVER
BRONZE

Sold Secure accreditations have been either attained or applied for at the time of print. Therefore they are subject to change during the lifetime of this catalogue

Challenger 260
Sold Secure Bronze 'D' Lock

- Hardened steel shackle
- Steel body
- Keyhole dustcover
- 4 Pin tumbler locking mechanism - Over 1000 Key differs
- Two keys provided
- Carrying bracket included
- Octagonal sleeve on shackle
- Also available with an 8C cable

BDL1 and BDL2
'D' Lock

- Steel shackle
- Steel lock body
- Disc tumbler lock mechanism
- Carrying bracket

Security Cables

- 1800mm length
- Multi-strand cable
- 12mm diameter (12C), 10mm diameter (10C), 8mm diameter (8C)
- Octagonal cable
- Recommended for use with a suitable Squire 'D' Lock

CHALLENGER 260 BDL1 BDL2

SOLD SECURE
GOLD
SILVER
BRONZE

CHALLENGER WITH 8C



12C 10C 8C

'D' Locks



Code	SOLD SECURE	Security Rating	Range	Description	'D' Lock Dimensions A	B	C	D	E	Cable Dimensions F	G	Barcode	Key Blank	Pack Type
Challenger 260	Bicycle	7	LEISURE	Challenger 260 D Lock - Bronze Sold Secure	150	30	14.5	260	105	n/a	n/a	5012245009101	KB 02	BOX
BDL1		6	LEISURE	D-lock with 290mm shackle clearance	185	28	14	290	105	n/a	n/a	5012245007725	n/a	BOX
BDL2		6	LEISURE	D-lock with 230mm shackle clearance	185	28	14	230	105	n/a	n/a	5012245007732	n/a	BOX

Value packs

CH260/8C*	Bicycle	7	LEISURE	Challenger 260 with 8mm x 1800mm Cable	150	30	14.5	260	105	8	1800	5012245009750	KB 02	BOX

* SOLD SECURE approval applies to D lock only

Security Cables



Code	SOLD SECURE	Security Rating	Range	Description	Dimensions mm A	B	Barcode	Key Blank	Pack Type
12C		4	LEISURE	Looped extender cable 12mm x 1800mm	12	1800	5012245007572	n/a	BOX
10C		3	LEISURE	Looped extender cable 10mm x 1800mm	10	1800	5012245007589	n/a	BOX
8C		2	LEISURE	Looped extender cable 8mm x 1800mm	8	1800	5012245007206	n/a	BOX

Mako™ Combi CN6/900 Integrated Lock and Chain

SOLD SECURE 2017 BRONZE BICYCLE

PATENTED

- Integrated lock and chain
- Recodable 5 wheel combination
- 100,000 combinations
- Patented TORQ DRIV™ technology
- Hardened alloy steel chain 6mm diameter
- Length 900mm
- Armoured steel lock body

Mako™ CN6/900 Integrated Lock and Chain

SOLD SECURE 2017 BRONZE BICYCLE

- Hardened steel lock body
- 6mm diameter chain
- Length 900mm
- 5 Pin tumbler lock mechanism
- Two keys provided
- Integrated lock and chain
- Hardened alloy steel chain

Zenith™ Combi 6/900 Integrated Lock and Chain

- Integrated lock and chain
- Recodable combination mechanism - 10,000 combinations
- Includes light for use in dark places
- Hardened steel chain
- 6mm diameter
- 900mm length

Integrated Lock and Chains

Code	SOLD SECURE	Security Rating	Range	Description	Link diameter	Chain length	Barcode	No of combinations or Key Blank	Pack Type
MAKOCOMBICN6/900	Bicycle	8	LEISURE	MAKO 6mm chain with integrated combination lock, length 900mm	6	900	5012245030709	100,000	BOX
MAKOCN6/900	Bicycle	8	LEISURE	Mako 6mm Integrated chain lock, length 900mm	6	900	5012245029208	KB LN C SL	BOX
ZRCOMBI CN6/900/LED		6	LEISURE	LED Combi Integrated chain lock, length 900mm	6	900	5012245026016	100,000	BOX

SOLD SECURE

GOLD
SILVER
BRONZE

Lock and Chain Sets

Hardened Steel Chains Lock and Chain Sets

Squire lock and chain sets have been designed to combine chains with padlocks of a similar security level. There are sets to cover all aspects of securing valuable items around the house and garden. The range is also designed to secure all levels of risk in home security, such as tethering valuable BBQ, garden equipment and patio furniture.

3536

CP50/36

Lock and Chain Sets

3936

3536

CP50/36

Code	Security Rating	Range	Description	Link Diameter	Chain Length	Dimensions mm A	B	C	D	E	Barcode	Key Blank or No of combinations	Pack Type	MK
3936	6	LEISURE	39 lock with hardened square link chain (X3)	8	915	51	29	9	24	24	5012245003642	KB 02	BOX	■
3536	5	LEISURE	35 lock with hardened steel chain	5	900	38	23	7	17	16	5012245001587	KB 02	BOX	■
CP50/36	7	LEISURE	CP50 Combi with hardened square link chain (X3)	8	915	50	26	8	26	22.6	5012245027945	10000	BOX	
3936 KA	6	LEISURE	KA 39 lock with hardened square link chain (X3)	8	915	51	29	9	24	24	Special	KB 02	BOX	
3536 KA	5	LEISURE	KA 35 lock with hardened steel chain	5	900	38	23	7	17	16	Special	KB 02	BOX	

MK denotes Masterkeyed available

BWA2 - Wall Anchor

- Secures bicycle internally and externally
- Hardened steel
- Powder coated
- Easy to fit
- Supplied with security fittings
- Can be used on wooden or brick walls
- Made in Britain

Made in Britain

BWA1 - Wall Anchor

- Secures bicycle internally and externally
- Hardened steel
- Easy to fit
- Powder coated
- Supplied with security fittings
- Can be used on wooden or brick walls
- Made in Britain

Made in Britain

LBA1 - Wall Anchor

- Heavy duty wall anchor
- Designed to be fixed to the wall or floor
- Hardened steel
- Use with heavy duty SQUIRE locks
- Powder coated
- Easy to fit
- Supplied with security fixings

Wall Anchors

Code	Security Rating	Range	Description	Dimensions mm Width	Height	Length	Clearance	Barcode	Pack Type
LBA1	8	LEISURE	Heavy duty wall anchor	150	46	80	35x80	5012245022360	BLISTER
BWA1	5	LEISURE	Wall Anchor	62	44	62	15x19	5012245020137	BLISTER
BWA2	6	LEISURE	Wall Anchor - Bridge style	120	48	43	45x60	5012245009019	BLISTER

Brackets

Code	Security Rating	Range	Description	Dimensions mm	Barcode	Pack Type
MAKOBRKTLGE	N/A	N/A	Bracket for Mako Plus range	N/A	5012245028164	BOX
MAKOBRKTSML	N/A	N/A	Bracket for 14mm Mako range	N/A	5012245025934	BOX
SNAPLOKBRKT	N/A	N/A	Bracket for Snaplok	N/A	5012245026078	BOX

Old English

Model nos.		Key Code
220 and Keybolt	PET	KB 220

Model nos.		Key Code
440	PEF	KB 440

Model nos.		Key Code
660	PES	KB 660

DCL1

Model nos.	Key Code
Discus Locks (New Style) DCL1	KB DCL N

Lion

Model nos.	Key Code
LN2	KB LN A SL

Model nos.	
Lion	LN3, LN4, LN4S, LN4/2.5, LN5, LN60
Warehouse	WL2, WL3, ASWL 1, ASWL 2
P5 Range	SS50P5, SS50CP5, WS50P5
	P5 Marine version
Powerlok	POL45, POL45CS, POL55, POL55CS
D Lock	Hammerhead
Mako	Conger, AD25, CN8, CN6, 25mm, 18mm,
14mm	

Key Code
KB LN C SL

Locking Hasp

Model nos.	Key Code
LH1	KB LH1

Leopard

Model nos.	Key Code
LP6, LP7	KB LP A SL

Model nos.	Key Code
LP8, LP8/2	KB LP B SL

Model nos.	Key Code
LP9, LP10, LP60	KB LP C SL

Stronglock Pin Tumbler

Model nos.

Stronglock Pin Tumbler	35, 37, 37CS, 37/2.5, 39, 39CS, 39/2.5
Vulcan Range	VULCAN P4 40, P4 45, P50 -All shackle types
D-Lock	CH260

Key Code
KB P4 (formerly KB O2)

All Terrain

Model nos.	Key Code
ATL4, ATL5, ATL4S, ATL5S	KB ATL4/5

GarageGuard

Model nos.	Key Code
GARAGEGUARD	KB GARAGE GUARD

Stronghold Hi-Security

Model nos.

Stronghold Hi-Security	SS65S, SS65CS, WS75, WS50, SS50S, SS50CS, HLS50, SS65/2.5, SS50 MARINE VERSIONS

Key Code
KB P6 (formerly CYKEY/SI/BL)

Stronghold R1 Restricted Range



Model nos.
Cut Key for restricted cylinders and locks
Key Code
CYKEY/R1/BL

Model nos.

Lion	LN3, LN4, LN4S, LN4/2.5, LN5, LN60
Warehouse	WL2, WL3, ASWL 1, ASWL 2
P5 Range	SS50P5, SS50CP5, WS50P5
WARRIOR	WAR65, WAR55, WAR45 - All shackle types
D Lock	Hammerhead
Mako	Conger, AD25, CN8, CN6, 25mm, 18mm, 14mm

Key Code
KB P5

Key Blanks

Code	Description	Barcode
KBLN A SL	Keyblank for 20 & 25 Lion brass	Special
KBLN C SL	Keyblank for LN / DCL / P5 / WL / ASWL / WAR	Special
KBLP A SL	Keyblank for 20 & 25 Leopard Brass	Special
KBLP B SL	Keyblank for 30 Leopard Brass	Special
KBLP C SL	Keyblank for 40, 50, 60, 70 Leopard Brass	Special
KBATL4/5	Keyblank for All Terrain	Special
KB 220	Keyblank for Old english (220)	Special
KB 440	Keyblank for Old english (440)	Special
KB 660	Keyblank for Old english (660)	Special
KB 02	Keyblank for Laminated stronglock, Vulcan	Special
CYKEY/S1/BL	Keyblank for Stronghold 6 pin	Special
KBLH1	Keyblank for Locking Hasp	Special
KB DCL N	Keyblank for DCL1	Special
CYKEY/R1/BL	Keyblank for restricted cylinders	Special
KB GARAGE GUARD	Keyblank for Garage Guard	Special
KB P4	Key Blank P4 (4-Pin) Laminated padlocks (same as KB 02)	Special
KB P5	Key Blank P5 (5-Pin) padlocks	Special
KB P6	Key Blank P6 (6-Pin) Stronghold Padlocks (same as CYKEY/S1/BL)	Special

Cut Keys

Code	Description	Barcode
CK660	Cut key for 660 Old English	Special
CK440	Cut key for 440 Old english	Special
CK220	Cut key for 220 Old english	Special
CK02	Cut key for Laminated Stronglock	Special
CKATL	Cut key for All Terrain padlocks	Special
CKLN	Cut key for Lion padlocks	Special
CKLP	Cut key for Leopard padlocks	Special
CYKEY/S1/CK	Cut key for Stronghold 6 pin	Special
MK	Cut Master Key for all ranges	Special
CYKEY/R1/CK	Cut Key for restricted cylinders	Special
CKP4	Cut Key P4 (4-Pin) Laminated padlocks (same as KB 02)	Special
CKP5	Cut Key P5 (5-Pin) padlocks	Special
CKP6	Cut Key P6 (6-Pin) Stronghold Padlocks (same as CYKEY/S1/BL)	Special

BP85 Merchandiser

BP85

A free merchandiser is available as part of a stocking deal covering 50+ lines to a set retail value.

Speak to your representative.

BP85 Specification	
Height	2050mm
Depth	550mm
Width	1000mm
Colour	Blue and Gold
Total Goods Value	contact Squire

BP65 Merchandiser

BP65
A free merchandiser is available as part of a stocking deal covering 40+ lines to set retail value.

Speak to your representative.

BP65 Specification	
Height	2050mm
Depth	550mm
Width	650mm
Colour	Blue and Gold
Total Goods Value	Contact Squire

BP40 Merchandiser - Hardware Key and Combination versions

BP40
A free merchandiser is available as part of a stocking deal covering 20+ lines to a set retail vallue.

Squire customers can choose:
BP40 Hardware key operated locks

BP40 Hardware combination locks

BP40 Combination and Key - combined

BP40 Specification	
Height	1780mm
Depth	495mm
Width	430mm
Colour	Blue and Gold
Total Goods Value	Contact Squire

BP40 Merchandiser - Cycle Key and Combination versions

BP40
A free merchandiser is available as part of a stocking deal covering 20+ lines to a set retail value.

Squire customers can choose:
BP40 Cycle key operated locks

BP40 Cycle combination locks

BP40 Combination and Key - combined

BP40 Specification	
Height	1780mm
Depth	495mm
Width	430mm
Colour	Blue and Gold
Total Goods Value	Contact Squire

Counter Top Merchandisers

CT30
A free merchandiser is available as part of a stocking deal covering 8+ lines to a set retail value.

CT30	
Height	225mm
Depth	500mm
Width	245mm
Colour	Blue and Gold
Total Goods Value	Contact Squire

All merchandiser images are for illustration purposes

Terms and conditions

In these Conditions "the Company" shall mean Henry Squire & Sons Ltd and "the Goods" shall mean and includes goods and/or works (including all workmanship) or any part thereof of any description to be performed under this Contract.

Formation of Contract

1.1.1. All quotations, offers and tenders are made and all orders are accepted subject to the following Conditions. All other terms, conditions or warranties whatsoever are excluded from any contract between the Company and the Customer unless expressly accepted in writing by a director or other authorised representative of the Company.

1.1.2. In the event of a conflict between these Conditions and the Company's express terms of any tender, quotation or order acknowledgement then such express terms shall prevail.

1.2. Quotations, offers and tenders issued by the Company are for the whole of the goods referred to in them and the Company reserves the right to refuse acceptance of any order which relates to only part of the Goods forming the subject of a quotation, offer or tender.

1.3. Quotations shall be available for acceptance for a maximum period of 30 days from the date of issue and may be withdrawn by the Company at any time prior to the Customer's acceptance by written or oral notice.

1.4. If any statement or representation has been made to the Customer by the Company, or its employees, officers or agents upon which the Customer relies (other than in the document[s] enclosed with the Company's quotation or acknowledgement of order) then the Customer must set out that statement or representation in a document to be attached to or endorsed on the order and in any such case the Company may confirm, reject or clarify the point and submit a new quotation, if appropriate. Under no circumstances shall the Company be responsible or held liable in respect of any statement or representation relied upon by the Customer which is not endorsed on the order and subsequently confirmed in writing by the Company.

1.5. Unless specifically agreed to the contrary all trade terms shall be interpreted in accordance with the INCOTERMS current at the time the order is accepted.

Prices

2.1. Unless otherwise stated in writing, all prices are quoted nett ex works and VAT, where appropriate, is payable in addition.

2.2. Unless otherwise agreed in writing, carriage will be paid on all orders of a nett value of £145 or over for despatch to points within the United Kingdom by the Company's usual means of carriage. Orders of a nett value less than £145 may also be despatched but the carriage charge will be debited on the invoice.

2.3. Where, at the Customer's request, orders are forwarded by any means involving a higher carriage charge than would be incurred by use of the Company's usual means of carriage then the additional charge will be debited on the invoice.

2.4. Quoted prices are subject to fluctuation and the price payable for the Goods shall be the standard trade price of the Company as published in its recommended retail price list (less any agreed discounts) in force at the time of delivery.

2.5. In the event of any alteration being requested by the Customer in design or specification and agreed to by the Company, the Company shall be entitled to make an adjustment to the quoted price fairly reflecting such alteration.

Payment

3.1 Unless otherwise agreed by the Company in writing and subject to satisfactory trade references, payment shall be due and payable by the end of the month following the month in which the invoice was issued, a cash discount of 1.5% will be allowed on all invoices that are paid by the due date unless otherwise stated.

3.2. The Company shall be entitled to submit its invoice with its delivery advice note or at any time afterwards save that where delivery has been postponed at the request of or by the default of the Customer then the Company may submit its invoice at any time after the Goods are ready for delivery or would have been ready in the ordinary course but for the request or default on the part of the Customer.

3.3. Where Goods are delivered by instalments the Company may invoice each instalment separately and the Customer shall pay such invoices in accordance with these Conditions.

3.4. No disputes arising under the contract nor delays beyond reasonable control of the Company shall interfere with prompt payment in full by the Customer.

3.5. In the event of default in payment by the Customer the Company shall be entitled, without prejudice to any other right or remedy:

3.5.1. to suspend all further deliveries on any contract or contracts between the Company and the Customer without notice.

3.5.2. to charge interest on any amount outstanding at the rate of either 2% per annum above the Base Rate of Barclays Bank plc such interest being charged as a separate continuing obligation not merging with any judgement; and/or

3.5.3. to serve notice on the Customer requiring immediate payment for all Goods supplied by the Company under this and all other contracts with the Customer whether or not payment is otherwise due.

3.6. All payments received by the Company from the Customer may unless specifically appropriated by the Customer to any particular consignment of Goods be appropriated by the Company as it thinks fit.

Delivery

4.1. Time for delivery is given as accurately as possible but is not guaranteed. The Customer shall have no rights to damages or to cancel the order for failure for any cause to meet any delivery time stated.

4.2. Failure by the Customer to take delivery of or to make payment in respect of any one or more instalments of Goods delivered under the contract shall entitle the Company to treat the whole or part of the contract as repudiated by the Customer.

4.3. The Company will endeavour to comply with reasonable requests by the Customer for postponement of delivery but shall be under no obligation to do so. Where delivery is postponed, otherwise than due to the default by the Company, the Customer shall pay all costs and expenses so occasioned and payment for the Goods shall be made in accordance with these Conditions.

4.4. Any packaging supplied by the Company, unless otherwise expressly agreed in writing, is intended to provide adequate protection in normal conditions of transit of usual duration.

4.5. Section 32(2) and (3) of the Sale of Goods Act 1979 shall not apply.

Minimum Orders and Packing

5.1. Unless otherwise agreed in writing orders must conform to minimum standard pack quantities shown in the Company's current price list. Where smaller than standard pack quantities are ordered for any Goods this quantity will be increased to conform to the nearest pack multiple.

5.2. Presentation-packed products will be sent against all orders unless the Customer states on the face of the order that carton-pack is required.

Risk and Title

6.1. Risk shall pass to the Customer so that the Customer is responsible for all loss, damage or deterioration to the Goods;

6.1.1. if the Company delivers the Goods by its own transport or in accordance with a specific contractual obligation arranges transport for the Goods at the time when they arrive at the designated place of delivery, or

6.1.2. in all other circumstances at the time when the Goods leave the premises of the Company.

6.2. Title to the Goods shall only pass to the Customer upon the happening of any one of the following events:

6.2.1. the Customer has paid to the Company all sums (including any default interest) due from it to the Company under this contract and under all other contracts between the Company and the Customer including (for the avoidance of doubt) any sums due under contracts made after this contract whether or not the same are immediately payable, or of doubt) any sums due under contracts made after this contract whether or not the same are immediately payable, or under contracts made after this contract whether or not the same are immediately payable, or of doubt) any sums due under contracts made after this contract whether or not the same are immediately payable, or

6.2.2. when the Company serves on the Customer notice in writing specifying that title in the Goods has passed.

6.3. The Company may recover Goods in respect of which title ny premises of the Customer for the purpose either of satisfying itself that Condition 6.4 is being complied with by the Customer or of recovering any Goods in respect of which title has not passed to the Customer.has not passed to the Customer at any time and the Customer hereby licenses the Company, its officers, employees and agents to enter upon any premises of the Customer for the purpose either of satisfying itself that Condition 6.4 is being complied with by the Customer or of recovering any Goods in respect of which title has not passed to the Customer.

6.4. Until title to the Goods has been passed to the Customer pursuant to these terms it shall possess the Goods as fiduciary agent and bailee of the Company. If the Company so requires, the Customer shall store the Goods separately from other goods and shall ensure that they are clearly identifiable as belonging to the Company.

Cancellation and Return of Goods

7.1. Cancellation by the Customer will only be agreed to by the Company on condition that all costs and expenses incurred by the Company up to the time of cancellation and all loss of profits and other loss or damage resulting to the Company by reason of such cancellation will be paid forthwith by the Customer to the Company.

7.2. Goods returned to the Company without the Company's consent will under no circumstances be accepted for credit. Goods will only be accepted if they are, in the sole opinion of the Company, in good saleable condition and remain upon the Company's current price list. An inspection and handling fee will be charged on such Goods.

Sale by Sample

8. Not withstanding that samples may be or have been submitted by the Company the sale to the Customer is not and shall not be deemed to be a sale by sample for the purposes of Section 15 of the Sale of Goods Act 1979. Any samples submitted to the Customer are intended to indicate only the substance and the general character of the materials and the Customer shall have no claim if the colour composition of the bulk supplied fails to correspond with the sample in such respect unless the particular requirement is specified by the Customer and accepted by a director or other authorised representative of the Company in writing.

Specification

9. The information contained in the advertising, sales and technical literature issued by the Company may be relied upon to be accurate in the exact circumstances in which it is expressed otherwise any illustrations, performance details, examples of installations and methods of assembly and all other technical data in such literature are based on experience and on trials under test conditions and are provided for general guidance only. No such information or data shall form part of the contract unless the Customer shall have complied with Condition 1.4. relating to statements and representations.

Loss Shortages and Defects Apparent on Inspection

10.1. The Customer shall have no claim for loss, shortages or damage on delivery which are or would be apparent on visual inspection unless:

10.1.1. the Customer inspects the Goods within three working days of their arrival at its

premises or other agreed destination, and

10.1.2. a written complaint specifying the loss, shortage or damage is made to the Company and to the carrier within seven working days of delivery in the event of partial loss, damage, or non-delivery of any separate part of a consignment, or within fourteen working days of the notified date of despatch in the event of non-delivery of a whole consignment or, in either event, within such shorter period as the carrier's conditions (if applicable) require, and

10.1.3. The Company is given an opportunity to inspect the Goods and investigate any complaint before any use of or alteration to or interference with the Goods.

10.2. If a complaint is not made to the Company as provided in this Condition 10 then the Goods will be deemed to be in all respects in accordance with the contract and the Customer shall be bound to pay for the same accordingly.

10.3. Defects in any instalment delivery shall not be a ground for cancellation of the remainder of the order.

Defects not Apparent on Inspection

11.1. The Customer shall have no claim in respect of defects not apparent on visual inspection following delivery conditions unless:envisaged by these Conditions unless:

11.1.1. a written complaint is sent to the Company as soon as reasonably practicable after the defect is discovered and no use is made of the Goods thereafter and no alteration made thereto or interference made therewith before the Company is given an opportunity to inspect the Goods in accordance with this Condition.

11.2. The Customer shall not be entitled to any claim in respect of any repairs or alterations undertaken by the Customer without the prior specific written consent of the Company nor in respect of any defect arising by reason of fair wear and tear or damage due to accident, neglect or misuse nor in respect of any Goods to which alterations have been made without such consent or to which replacement parts not supplied by the Company have been fitted.

11.3. The Company shall not be liable for and the Customer shall indemnify the Company against claims arising from their loss or damage suffered by reason of use of the Goods after the Customer becomes aware of a defect or after circumstances which should reasonably have indicated to the Customer the existence of a defect.

11.4. The Company may within 15 working days of receiving a written complaint (or 28 days where the Goods are situated outside the United Kingdom) inspect the Goods and the Customer, if so required by the Company, shall take all steps necessary to enable the Company to do so.

Guarantee Condition

12.1. Save as otherwise provided by the other conditions of these Conditions Sections 13 to 15 of the Sale of Goods Act 1979 are to be implied into the contract.

12.2. In the event of the condition of the Goods being such as might or would (subject to these Conditions) entitle the Customer to claim damages, to repudiate the contract and/or reject the Goods the Customer shall not then do so but shall first ask the Company to repair or supply satisfactory substitute Goods and the Company shall thereupon be entitled at its option to repair or take back the defective Goods and to supply satisfactory substitute Goods free of cost and within a reasonable time or to repay the price of the Goods in respect of which the compliant is made.

12.3. If the Company does so repair the Goods or supply satisfactory substitute Goods or effect repayment pursuant to Condition 12.2. above the Customer shall be bound to accept such repaired or substituted goods or repayment and the Company shall be under no liability in respect of any loss or damage whatsoever arising from the initial delivery of the defective Goods or from the delay before the defective Goods are repaired or the substitute Goods are delivered or the repayment is effected.

Liability

13. Save where the Company is shown to have failed to exercise reasonable care in the manufacture and/or supply of the Goods and such failure results in death repaired or substitute Goods) loss of profits, damage to property or wasted expenditure and costs (including without limitation legal costs on a full indemnity basis and VAT).

or personal injury, the Company shall not be liable in respect of claims arising by reason of death or personal injury. Further, under no circumstances whatsoever shall the Company be liable for consequential loss (including removal or rectification work required in connection with the installation of repaired or substitute Goods) loss of profits, damage to property or wasted expenditure and costs (including without limitation legal costs on a full indemnity basis and VAT).

be liable for consequential loss (including removal or rectification work required in connection with the installation of repaired or substitute Goods) loss of profits, damage to property or wasted expenditure and costs (including without limitation legal costs on a full indemnity basis and VAT).

Confidential Information and Industrial Property Rights

14.1. All drawings, documents, confidential records, computer software and other information supplied by the Company are supplied on the express understanding that copyright is reserved to the Company and that the Customer will not, without the written consent of the Company, either give away, loan, exhibit or sell any such drawings, documents, records, software or other information or extracts there from or copies thereof or use them in any way except in connection with the Goods in respect of which they are issued.

14.2. All claims for alleged infringement in respect of patents, trade marks, registered design, design right or copyright received by the Customer must be notified immediately to the Company so that the Company can be kept fully informed of the conduct of such claims. trade marks, registered design, design right or copyright received by the Customer must be notified immediately to the Company so that the Company can be kept fully informed of the conduct of such claims.

Customers' Drawings

15.1. The Customer shall be solely responsible for ensuring that all drawings, information, advice and recommendations given to the Company, either directly or indirectly by the Customer's agents, servants, consultants, or advisers are accurate, correct and suitable. Examination or consideration by the Company of such drawings, information, advice or recommendations shall in no way limit the Customer's responsibility hereunder unless a director or other authorised officer of the Company specifically agrees in writing to accept responsibility.

15.2. The Customer shall indemnify the Company from and against all actions, claims, costs and proceedings which arise due to the manufacture of Goods to the drawings or specifications of the Customer where such drawings or specifications are at fault or where it is alleged that they involve an infringement of a patent, copyright, registered design, design right or design copyright or other exclusive right.

Insolvency

16. If the Customer shall become bankrupt or under the provisions of Section 123 of the Insolvency Act 1986 is deemed to be unable to pay its debts or compounds with creditors or in the event of a resolution being passed or proceedings commenced for the administration or liquidation of the Customer (other than for a voluntary solvent winding up for the purposes of reconstruction or amalgamation) or if a Receiver or Manager is appointed for all or any part of its assets or undertaking, the Company shall be entitled to cancel the contract in whole or in part by notice in writing without prejudice to any other right or remedy accrued or accruing to the Company.

Force Majeure

17.1. In the event of the performance of any obligation accepted by the Company being prevented, delayed, or in any way interfered with by either:

17.1.1. direction of government, war, industrial dispute, strike, breakdown or machinery or plant, accident, fire or by any other cause beyond the Company's control, or

17.1.2. non-delivery by the Company's suppliers or damage to or destruction of the whole date of suspension or cancellation.

or part of the Goods, the company may at its option suspend performance or cancel its obligations under the contract without liability for any damage or consequential loss resulting there from such suspension or cancellation being without prejudice to the Company's right to recover all sums owing to it in respect of consignments delivered and costs incurred prior to the date of suspension or cancellation.

Consumer Protection Act 1987 ("the Act")

18.1. In circumstances where the Company supplies parts or products to the Customer for incorporation with, or use ancillary to, any composite or other products to be produced, manufactured, processed or supplied by the Customer then:

18.1.1. the Customer shall forthwith on demand produce for inspection by the Company copies of all written instructions, information and warnings to be supplied by the Customer in relation to the said composite or other products, provided nevertheless that such inspection or right to inspect shall not of itself constitute acceptance or approval on the part of the Company of such instructions, information or warnings, and

18.1.2. the Customer shall indemnify, reimburse and compensate the Company for all losses and damages (including costs, expenses and charges for legal actions in which the Company may be involved) that the Company may incur in the event that any claim or claims are made against the Company pursuant to the Act or otherwise relating to the said composite or other products of the customer in circumstances in which the part or product supplied by the Company was either (i) not the defective part of the said composite product, or (ii) was only rendered the defective part or became a defective product by reason or actions or omissions of the Customer (including without limitation the supply of defective free issue materials), or (iii) was only rendered the defective part or became a defective product by reason of instructions or warnings given by the Customer or other supplier of the said composite or other products or (iv) supplied in accordance with a specification and/or drawings furnished by or on behalf of the Customer.

defective product by reason of instructions or warnings given by the Customer or other supplier of the said composite or other products or (iv) supplied in accordance with a specification and/or drawings furnished by or on behalf of the Customer.

18.1.3. for the purpose of this condition only the word "defective" shall be interpreted in accordance with the definition of 'defect' contained in Part 1 or the Act.

18.2. The Customer hereby acknowledges that it is under a duty to pass on to its customers (where appropriate) all instructions, information and warnings supplied to it by the Company with the Goods.

Assignment

19. The contract is between the Company and the Customer as principles and under no circumstances shall the Customer assign the benefit or burden of it without the prior written consent of the Company. The Company shall be entitled to assign or sub-contract the whole or part of its obligations under the contract.

Severability

20. In the event of any provision of these Conditions being or becoming void in whole or part of the other other provisions of these conditions shall remain fully valid and enforceable and void provisions shall, where appropriate, be replaced in accordance with the meaning and purpose of these Conditions.

Legal

21. The contract shall be governed and interpreted exclusively according to the law of England and shall be subject to the jurisdiction of the English Courts only.

SQUIRE

Lockmakers Since 1780

@WORK

@Work includes our flagship **Stronghold®** range, great for securing warehouses, shipping containers, or heavy machinery. We've also got more portable locks for toolboxes or vans.

SQUIRE

Lockmakers Since 1780

@HOME

@Home, as the name suggests, is designed for home use. It includes general purpose products like our brass, laminated and combination padlocks. Ideal for gates, toolboxes, cabinets and garage doors, there are specialist locks like our combination bolt locks & hasps for outside gates or sheds.

SQUIRE

Lockmakers Since 1780

@LEISURE

@Leisure is for when you're out and about. Marine grade locks for boats and hard weather conditions. TSA approved locks for when you're flying abroad, or for your trailer or caravan.

Toughness guaranteed.

www.squirelocks.co.uk

Henry Squire & Sons Limited, Hilton Cross Business Park, Cannock Road, Featherstone, Wolverhampton, WV10 7QZ

Tel: 01902 308050 **Fax: 01902 308051** **E-Mail: info@henry-squire.co.uk**

SOLD SECURE 2017 APPROVED

Secured by Design

Police Preferred Specification

Supported by CRIMESTOPPERS™

Independent crime-fighting charity